

**New data on the Heteroptera fauna of La Palma, Canary Islands
(Insecta: Hemiptera)**BEREND AUKEMA¹, HANS DUFFELS², HANNES GÜNTHER³,
CHRISTIAN RIEGER⁴ & GERHARD STRAUß⁵¹*Naturalis Biodiversity Center, P.O. Box 9617, NL-2300 RA Leiden, the Netherlands;*
*e-mail: aukema@hetnet.nl*²*Naturalis Biodiversity Center, P.O. Box 9617, NL-2300 RA Leiden, the Netherlands;*
*e-mail: hans.duffels@naturalis.nl*³*Eisenacher Straße 25, D-55218 Ingelheim, Germany; e-mail: chguenther@bytestream.de*⁴*Lenbachstraße 11, D-72622 Nürtingen, Germany; e-mail: christian.rieger@kabelbw.de*⁵*Mozartstraße 4, D-88400 Biberach, Germany; e-mail: ge.strauss@t-online.de*

AUKEMA B., DUFFELS H., GÜNTHER H., RIEGER CH. & STRAUß G. 2013: New data on the Heteroptera fauna of La Palma, Canary Islands (Insecta: Hemiptera). In: KMENT P., MALENOVSKÝ I. & KOLIBÁČ J. (eds.): Studies in Hemiptera in honour of Pavel Lauterer and Jaroslav L. Stehlik. *Acta Musei Moraviae, Scientiae biologicae* (Brno) **98(2)**: 459–493. – Heteroptera collected on La Palma in the Canary Islands during the period 2001–2012 are listed. Data for 153 species are given, including 28 species recorded for the first time from La Palma. Six of these species are also new for the Canary Islands: *Cantacader quadricornis* (Lepeletier et Serville, 1828) (Tingidae), *Bryocoris pteridis* (Fallén, 1807), *Macrolophus pygmaeus* (Rambur, 1839), *Thiomiris sulphureus* (Reuter, 1879) (all Miridae), *Amphiareus obscuriceps* (Poppius, 1909) (Anthocoridae) and *Ischnodemus quadratus* Fieber, 1837 (Lygaeidae). Furthermore, the occurrence of eight species on La Palma is confirmed. With this contribution the number of species known from the Canary Islands and La Palma increases to 400 and 216 respectively. The number of Canarian endemic species on La Palma is 48 (22.2%). *Lindbergopsallus lauri* Rieger, 2012 and *L. lunariae* Rieger, Strauß et Günther, 2011 (Miridae), *Collartida tanausu* J. Ribes, Oromi et E. Ribes, 1998 (Reduviidae) and *Nysius gloriae* Baena et Garcia, 1999 (Lygaeidae) are only known from La Palma.

Keywords. Heteroptera, true bugs, distribution, new records, check-list, Palaearctic Region, Canary Islands

Introduction

Systematic study of the Heteroptera fauna of the Canary Islands began with the publications of Maurice NOUALHIER (1893) and Håkan LINDBERG (1953, 1960). Thereafter, many heteropterists have collected on the Canary Islands and reported numerous species. Based on published information, AUKEMA *et al.* (2006) collated the occurrence of species on the different islands. Doubtful and mistakenly listed species were omitted and new records listed, together with collecting data. They reached a total of 385 species for the archipelago and 186 species for La Palma. Since then, five new species have been described: The tingid *Kalama montisclari* from Montaña Clara Island by J. RIBES & PAGOLA-CARTE (2008) and the mirids *Systemonotus stysi* J. Ribes, Pagola-Carte et Heiss, 2008 and *Atomoscelis pictifrons* J. Ribes, Pagola-Carte et Heiss, 2008

from Tenerife by J. RIBES *et al.* (2008), and *Lindbergopsallus lunariae* Rieger, Strauß et Günther, 2011 by RIEGER *et al.* (2011) and *L. lauri* by RIEGER (2012) from La Palma. Furthermore, *Peirates stridulus* (Fabricius, 1787), *Pasira basiptera* Stål, 1859 and *Pygolampis bidentata* (Goeze, 1778) were listed from the Canary Islands by PUTSHKOV & MOULET (2010) and AUKEMA *et al.* (2013) added *Orsillus depressus* (Mulsant et Rey, 1852). Additional island records were listed by AUKEMA (2012), *Coranus kiritshenkoi* Bergevin, 1932 from Fuerteventura, FARACI (2011), *Sigara (Halicorixa) selecta* (Fieber, 1848) from Fuerteventura, and SANTAMARÍA *et al.* (2012), *Heliocorisa vermiculata* (Puton, 1874) from Tenerife, *Mesovelvia vittigera* Horváth, 1895 from El Hierro and La Gomera, *Merragata hebroides* F. B. White, 1877 from La Gomera, and *Microvelia (Microvelia) gracillima* Reuter, 1882 from Fuerteventura and Lanzarote.

Two changes were made in the 2006 checklist (see also Table 2): *Cantacader divisus* Bergroth, 1908 was listed by B. LIS (2003) instead of *C. quadricornis* (Lepelletier et Serville, 1828) and the record of *Liolobus pallidicornis* (Reuter, 1891) in HEISS (1997) was based on misidentified *Anepscioris encaustus* (Puton, 1869) (E. HEISS, pers. comm.).

To date, 395 species are reported from the Canary Islands. With 294 species, Tenerife is the most species-rich island of the archipelago, followed by Gran Canaria with 235 species. From La Palma, 189 species have been reported to date.

We dedicate the paper to our friends and highly esteemed colleagues Jaroslav L. Stehlik, on his 90th birthday, and Pavel Lauterer for his 80th birthday.

Material and methods

In this contribution the results of field trips by the authors in the years 2001, 2005, 2007, 2008, 2009, 2011 and 2012, together with some additional records, are provided. Details of the collecting sites are listed in Table 1. The following abbreviations are used for collectors and collections: BA – B. Aukema; CR – Chr. Rieger; GS – G. Strauss; HG – H. Günther; JD – J. P. Duffels; ZMAN – Zoölogisch Museum, Amsterdam (now housed in Naturalis Biodiversity Center, Leiden). Unless stated otherwise (between brackets) the material is deposited in the collection of the collector(s).

New records for the Canary Islands from La Palma

TINGIDAE

Cantacader quadricornis (Lepelletier et Serville, 1828)

Lomo Oscuro 15.iii.2005, 3 ♂♂ 3 ♀♀, HG; 9.v.2009, 4 ♂♂ 4 ♀♀ 2 larvae 5→2 ♀♀, HG, CR, GS; 7.vi.2011, 1 ♂, GS; 11.vi.2011, 1 ♂, GS.

MIRIDAE

Bryocoris pteridis (Fallén, 1807)

Fuencaliente, 2.v.2009, 1 ♂ on fern, HG.

***Macrolophus pygmaeus* (Rambur, 1839)**

Los Llanos, 8.v.2009, 1 ♀, at light, CR.

***Thiomiris sulphureus* (Reuter, 1879)**

Volcán Teneguía, 30.iv.2009, 1 ♂, on roadside vegetation, HG.

ANTHOCORIDAE

***Amphiareus obscuriceps* (Poppius, 1909)**

La Lomadita, 21.iii.2010, 2 ♀♀, CR.

LYGAEIDAE

***Ischnodemus quadratus* Fieber, 1837**

Bco. de las Angustias, 16.iv.2012, 1 ♂ 1 ♀, on roadside vegetation, HG.

New records for La Palma

TINGIDAE

***Tingis (Tropidocheila) ajugarum* (Frey-Gessner, 1872)**

La Punta, 24.iii.2009, 6 ♂♂ 3 ♀♀ with larvae; 29.iii.2009, 1 ♂ 2 ♀♀; 2.iv.2009, 6 ♂♂ 5 ♀♀ with larvae, on *Ajuga chamaepitys*, BA.

MIRIDAE

***Nesidiocoris tenuis* (Reuter, 1895)**

Faro de Barlovento, 21.iii.2010, 5 ♂♂ 6 ♀♀, on *Hyoscyamus niger*, CR.

***Pinalitus parvulus* (Reuter, 1897)**

Bco. de las Angustias, 5.v.2009, 1 ♂, CR. Fuencaiente NE, 4.v.2009, 2 ♂♂, CR.

***Canariocoris hyperici* Lindberg, 1951**

Bco. de las Angustias, 5.v.2009, 1 ♂ 2 ♀♀, GS; 3.vi.2011, 1 ♂ 1 ♀, GS. Bco. del Jorado 13.vi.2011, 3 ♂♂ 12 ♀♀, GS. Los Barros, 31.iii.2009, 1 ♀, BA.

***Canariocoris punctatus* (Noualhier, 1893)**

Playa de Nogales, 7.iii.2008, 1 ♂, JD (ZMAN). Puntagorda, 10.iii.2008, 1 ♂ 2 ♀♀, JD (ZMAN).

***Orthotylus (Melanotrichus) flavosparsus* (C. R. Sahlberg, 1841)**

Garafia, 17.iii.2008, 10 ♂♂ 8 ♀♀, JD (ZMAN). La Lomadita, 21.iii.2010, 1 ♂ 3 ♀♀, CR, GS. La Punta, 2.iv.2009, 1 ♀, BA. Puerto Naos, 24.iii.2010, 6 ♂♂ 12 ♀♀, CR, GS; 29.iii.2010, 1 ♂ 1 ♀, CR, GS. Puntagorda, Puerto, 25.iii.2010, 2 ♂♂, CR. Tzacorte, 21.iii.2010, 1 ♀, GS.

***Compsidolon (Coniortodes) cytisi* (Lindberg, 1953)**

Bco de las Angustias, 5.v.2009, 4 ♀♀, CR.

***Lindbergopsallus laureti* (Lindberg, 1936)**

Bco. de la Galga, 1.v.2009, 17 ♂♂ 15 ♀♀, HG, CR, GS; 28.iii.2010, 1 ♂ 3 ♀♀, on *Laurus*, GS. La Lomada, 18.vi.2007, 1 ♀, HG. Laguna Barlovento, 1.iv.2009, 4 ♂♂ 4 ♀♀, BA. Montaña de la Breña, 28.iii.2009, 4 ♂♂ 6 ♀♀, on *Myrica faya*, BA. Pico Birigoyo, 9.vi.2011, 7 ♂♂ 2 ♀♀, GS.

ANTHOCORIDAE

***Anthocoris nemoralis* (Fabricius, 1794)**

Puerto de Tzacorte, 13.iii.2008, 1 ♀, JD (ZMAN). Puerto Naos, 24.iii.2010, 4 ♂♂ 8 ♀♀ 1 larva 5, CR, GS; 26.iii.2010, 5 ♂♂ 8 ♀♀ 1 larva 5, on *Ricinus*, CR.

***Orius (Dimorphella) albidipennis* (Reuter, 1884)**

Puerto de Tzacorte, 13.iii.2008, 1 ♂ 1 ♀, JD (ZMAN).

***Orius (Orius) niger* (Wolff, 1811)**

Punta Baja de San Simón, 2.iii.2010, 1 ♂, CR.

***Cardiastethus nazarenus* Reuter, 1884**

Montaña de la Breña, 28.iii.2009, 1 ♂ 1 ♀, BA.

***Lyctocoris (Lyctocoris) campestris* (Fabricius, 1794)**

Fuencaliente, 14.ii.2001, 1 ♂, HG.

LYGAEIDAE

***Geocoris (Geocoris) phaeopterus* (Germar, 1838)**

Bco. de la Galga, 12.vi.2007, 1 ♀, HG. Bco. Hondo, 2.v.2009, 2 ♀♀, HG.

***Neocamptotelus aeonii* (Lindberg, 1953)**

Bco. Hondo, 30.iv.2009, 4 ♂♂ 1 ♀, HG; 2.v.2009, 28 ♂♂ 18 ♀♀, HG, CR, GS. Fuencaliente N, 7.v.2009, 9 ♂♂ 8 ♀♀, CR, GS; 10.v.2009, 1 ♂ 1 ♀, CR, under *Polycarphaea*. Lomo Oscuro, 9.v.2009, 1 ♀, CR. Montaña Azufre, 27.iii.2010, 5 ♂♂ 2 ♀♀, CR. Montaña la Laguna, 12.vi.2007, 1 ♂ 1 ♀, HG. Salinas, 12.vi.2007, 1 ♂ 1 ♀, HG.

BERYTIDAE

***Gampsocoris punctipes punctipes* (Germar, 1822)**

Bco. de las Angustias, 16.iv.2012, 1 ♂ 1 ♀, on *Ononis*, HG. Nogales, 6–7.iii.2008, 3 ♂♂ 1 ♀, JD (ZMAN). Santo Domingo, 21.iii.2010, 1 ♂, GS.

COREIDAE

***Haploprocta incognita* Heiss et Moulet, 1994**

(Figs 2–3)

Torre del Time, 1.vi.2011, 1 ♂ 2 ♀♀, GS.

***Gonocerus insidiator* (Fabricius, 1787)**

Tijarafe, Cemeterio, 23.iii.2009, 1 ♀, BA.

***Plinactus imitator* (Reuter, 1891)**

Bco. de las Angustias, 3.vi.2011, 7 ♂♂ 10 ♀♀, GS.

CYDNIDAE

***Geotomus punctulatus* (A. Costa, 1847)**

Bco. de la Galga, 10.iii.2005, 2 ♂♂ 2 ♀♀, HG; 14.iii.2005, 4 ♂♂ 1 ♀, HG; 12.vi.2007 1 ♂ 2 ♀♀, HG; 18.vi.2007, 4 ♀♀, HG; 1.v.2009, 2 ♂♂ 2 ♀♀, HG, CR. El Paso, farmland, 7.v.2009, 2 ♂♂ 3 ♀♀, 22.iii.2010, 2 ♂♂, 22.iii.2010 2 ♂♂, GS. El Pilar, 3.v.2009, 2 ♂♂ 5 ♀♀, HG, CR; 23.iii.2010, 1 ♀, CR; Laguna de Barlovento, 1.iv.2009, 2 ♂♂ 1 ♀, BA, 21.iv.2012, 1 ♂ 1 ♀, HG. La Lomada, 18.vi.2007, 4 ♀♀. Lomo Oscuro, 9.vi.2007, 5 ♂♂ 5 ♀♀. Montaña de la Breña, 28.iii.2009, 6 ♂♂ 5 ♀♀, BA. Pico de la Nieve, 6.v.2009, 1 ♂ 1 ♀, HG; 24.iv.2012, 1 ♀, HG. San Isidro, 6.v.2009, 1 ♀, CR. Villa de Mazo, 28.iii.2009, 4 ♂♂ 3 ♀♀, BA.

PENTATOMIDAE

***Acrosternum heegeri* Fieber, 1861**

Lomo Oscuro, 9.v.2009, 2 ♀♀, GS.

***Acrosternum millierei* (Mulsant et Rey, 1866)**

Puerto Naos, 29.iii.2010, 1 ♂, CR.

Confirmed records from La Palma

HEBRIDAE

***Merragata hebroides* F. B. White, 1877**

Los Llanos de Aridane, water basin, 20.iii.2009, 4 ♂♂ 3 ♀♀, BA.

TINGIDAE

***Tingis (Tropidocheila) insularis* (Horváth, 1902)**

Torre del Time, 1.vi.2011, 5 ♂♂ 2 ♀♀, GS.

NABIDAE

***Nabis (Nabis) punctatus punctatus* A. Costa, 1847**

Lomo Oscuro, 20.iii.2010, 1 ♂, GS.

ANTHOCORIDAE

***Elatophilus pilosicornis* Lindberg, 1953**

Fuencaliente N, 4.v.2009, 1 ♀, CR. Las Tricias, 8.v.2009, 1 ♀, CR.

***Ectomocoris (Ectomocoris) chiragra* (Fabricius, 1803)**

Nogales, 6.–7.iii.2008, 1 ♂, JD (ZMAN).

REDUVIIDAE

***Sastrapada baerensprungi* (Stål, 1859)**

Bco. de la Galga, 24.ii.2001, 2 ♂♂, HG; 14.iii.2005, 1 ♀, HG. Laguna de Barlovento, 21.iv.2012, 1 ♂ 1 ♀ 1 larva, HG.

COREIDAE

***Gonocerus juniperi* Herrich-Schaeffer, 1839**

Tijarafe, Cemeterio, 23.iii.2009, 2 ♀♀, on *Cupressus*, BA.

ACANTHOSOMATIDAE

***Cyphostethus tristriatus* (Fabricius, 1787)**

Tijarafe, Cemeterio, 23.iii.2009, 1 ♀, on *Cupressus*, BA.

Additional records of species already known from La Palma

CORIXIDAE

***Corixa affinis* Leach, 1817**

El Paso, gravel pit, 5.vi.2011, 5 ♂♂ 6 ♀♀, GS. Los Llanos de Aridane, water basin, 20.iii.2009, 1 ♀, BA.

***Sigara (Vermicorixa) lateralis* (Leach, 1817)**

El Paso, gravel pit, 25.iii.2010, 4 ♂♂ 3 ♀♀, CR; 27.iii.2010, 1 ♂, CR. Los Llanos de Aridane, water basin, 20.iii.2009, 1 ♂ 11 ♀♀, BA.

NOTONECTIDAE

***Anisops debilis canariensis* Noualhier, 1893**

El Paso, gravel pit, 25.iii.2010, 2 ♂♂ 2 ♀♀, CR; 27.iii.2010, 2 ♂♂ 5 ♀♀, CR; 6.v.2011, 13 ♂♂ 12 ♀♀, GS. Los Llanos de Aridane, water basin, 20.iii.2009, 3 ♀♀, BA.

***Anisops sardeus sardeus* Herrich-Schaeffer, 1849**

El Paso, gravel pit, 25.iii.2010, 1 ♀, CR. Los Llanos de Aridane, water basin, 20.iii.2009, 1 ♂ 1 ♀, BA.

TINGIDAE

***Dictyla indigena* (Wollaston, 1858)**

Bco. del Jorado, 13.vi.2011, 1 ♂ 3 ♀♀, GS. Bco. Herradura, 12.vi.2011, 1 ♂ 2 ♀♀, GS. Bco. Hondo, 30.iv.2009, 2 ♂♂ 2 ♀♀ 1 larva, CR; 2.v.2009, 1 ♀, CR. El Paso, gravel pit, 22.iii.2010, 1 ♂, GS. Fuencaliente N, 7.v.2009, 8 ♂♂ 4 ♀♀, CR, GS; 10.v.2009, 5 ♂♂ 4 ♀♀, CR, GS; 20.iii.2010, 1 ♂, CR, GS. Jedey, 11.vi.2011, 2 ♂♂ 2 ♀♀, GS. La Fajana, 9.iii.2008, 2 ♀♀, JD (ZMAN). La Punta, 2.iv.2009, 4 ♂♂ 5 ♀♀, BA. Las Tricias, 8.v.2009, 4 ♂♂, CR, GS. Lomo Oscuro, 15.iii.2005, 2 ♂♂ 2 ♀♀, HG; 9.v.2009, 4 ♂♂ 2 ♀♀, HG; 20.iii.2010, 2 ♂♂ 2 ♀♀, CR; 7.vi.2011, 1 ♂, GS. Montaña Azufre, 27.iii.2010, 1 ♂ 1 ♀, CR. Montaña la Laguna, 2.v.2009, 6 ♂♂ 4 ♀♀, CR, GS. Monte de Luna, 18.iv.2000, 1 ♂ 1 ♀, H. Ziegler leg. (CR). Nogales, 6–7.iii.2008, 1 ♂ 3 ♀♀, JD (ZMAN). Punta Baja de San Simón, 4.v.2009, 3 ♂♂ 13 ♀♀, CR, GS. Puntagorda, Puerto, 25.iii.2010, 8 ♂♂ 2 ♀♀ 4 larvae, CR. San Simón, 27.iii.2010, 1 ♀, CR. Tigalate, 14.iv.2000, 1 ♀, H. Ziegler leg. (CR). Torre del Time, 1.vi.2011, 1 ♂ 1 ♀, GS. Volcán Martín, 10.v.2009, 1 ♂, HG. Volcán Teneguía, 30.iv.2009, 1 ♂ 2 ♀♀, HG, CR.

***Dictyla nassata* (Puton, 1874)**

Bco. del Jorado, 23.iii.2009, 1 ♂, BA; 13.vi.2011, 1 ♂, GS. Bco. Herradura, 12.vi.2011, 1 ♂, GS. Bco. Hondo, 30.iv.2009, 4 ♂♂ 4 ♀♀, CR, GS; 2.v.2009, 1 ♀, HG. El Paso, farmland, 7.v.2009, 2 ♂♂ 2 ♀♀, HG, CR, GS; 11.v.2009, 1 ♂ 1 ♀, HG, GS. El Pinar, 25.iii.2009, 1 ♂, BA. Fuencaliente N, 7.v.2009, 2 ♂♂ 2 ♀♀, CR, GS. Garafia, 17.iii.2008, 1 ♀, JD (ZMAN). Las Tricias, 8.v.2009, 2 ♀♀, GS. Montaña de la Negra, 25.iii.2010, 1 ♂, CR. Nogales, 6–7.iii.2008, 1 ♂ 1 ♀, JD (ZMAN). Puntagorda, 17.iii.2008, 2 ♂♂ 1 ♀, JD (ZMAN); 7.iv.2000, 1 ♀, H. Ziegler leg. (CR). Tigalate, 14.iv.2000, 1 ♀, H. Ziegler leg. (CR). Volcán Martín, 10.v.2009 1 ♀, HG. Volcán San Antonio, 30.iii.2009, 1 ♂, BA.

***Tingis (Tingis) canariensis* Péricart, 1981**

Bco. de las Angustias, 30.iii.2009, 1 ♀, 31.iii.2009, 1 ♂ 14 ♀♀, on *Carlina salicifolia*, BA. San Nicolás, 20.iii.2010, 30 ♂♂ 50 ♀♀, CR, GS; 24.iii.2010, 22 ♂♂ 18 ♀♀, on *Carlina salicifolia*, CR, GS.

***Tingis (Tingis) denudata* Horváth, 1906**

Bco. Hondo, 2.v.2009, 1 ♂, HG. La Punta, 2.iv.2009, 5 ♂♂ 1 ♀, on *Centaurea melitensis*, BA.

***Tingis (Tingis) maderensis* (Reuter, 1890)**

Bco. Herradura, 12.vi.2011, 1 ♂, GS. El Palmar, 27.iii.2009, 1 ♀, BA.

MIRIDAE

***Cyrtopeltis canariensis* (Lindberg, 1936)**

Barlovento, 21.iii.2010, 3 ♂♂, CR, GS. Bco. del Jorado, 23.iii.2009, 11 ♂♂ 7 ♀♀, BA; 13.vi.2011, 2 ♂♂ 1 ♀, GS. Bco. de las Angustias, 5.v.2009, 1 ♂ 1 ♀, GS. El Paso, farmland, 11.vi.2007, 1 ♀, HG; 7.v.2009, 5 ♂♂ 2 ♀♀, CR, GS; 11.v.2009, 6 ♂♂, HG; 22.iii.2010, 1 ♂ 1 ♀, on *Cistus symphytifolius*, CR. El Pilar, 17.vi.2007, 11 ♂♂ 2 ♀♀, HG; 21.iii.2009, 1 ♂, BA; 3.v.2009, 3 ♂♂ 2 ♀♀, HG, GS. Hoya Grande, 8.vi.2011, 1 ♀, GS. Las Tricias, 6.v.2009, 1 ♂, GS. Pico de la Nieve, 1070 m a.s.l., 6.v.2009, 13 ♂♂ 10 ♀♀, CR, GS. Puerto Naos, 24.iii.2010, 1 ♀, GS. Torre del Time, 1.vi.2011, 1 ♂ 1 ♀, GS.

***Dicyphus (Dicyphus) rubicundus* Blöte, 1929**

Bco. de las Angustias, 5.v.2009, 25 ♂♂ 7 ♀♀, on *Grenovia aurea*, HG, CR, GS. Las Tricias, 7.v.2009, 3 ♂♂ 3 ♀♀, CR.

***Macrolophus melanotoma* (A. Costa, 1853)**

Bco. Herradura, 12.vi.2011, 1 ♂ 1 ♀, GS. Las Tricias, 7.v.2011, 3 ♂♂ 2 ♀♀, GS.

***Macrolophus pericarti* J. Ribes et Heiss, 1998**

El Pilar, 21.iii.2009, 12 ♀♀, on *Cistus symphytifolius*, BA.

***Deraeocoris (Camptobrochis) serenus* (Douglas et Scott, 1868)**

Bco. del Jorado, 10.vi.2011, 1 ♀, GS. Bco. de las Angustias, 6.vi.2007, 1 ♀. Bco. Hondo, 30.iv.2009, 3 ♀♀ 1 larva, CR, GS; 2.v.2009, 2 ♀♀, CR. El Pinar, 25.iii.2009, 1 ♂, BA. Fuencaliente NE, 4.v.2009, 1 ♀, CR. Garafía, 17.iii.2008, 4 ♂♂ 4 ♀♀, JD (ZMAN). Jedey, 11.vi.2011, 1 ♀, GS. La Lomadita, 21.iii.2010, 2 ♂♂ 2 ♀♀, CR, GS. Las Tricias, 7.v.2011, 1 ♀, GS. Lomo Oscuro, 7.vi.2011, 1 ♂ 1 ♀, GS. Los Llanos, 6.vi.2007, 1 ♀, HG. Montaña de la Negra, 25.iii.2010, 1 ♂, CR. Puerta de Tazacorte, 14.iii.2008, 1 ♂ 1 ♀, JD (ZMAN). Puerto Naos, 24.iii.2010, 1 ♂ 1 ♀, CR, GS. Puntagorda, 10.iii.2008, 2 ♀♀, JD (ZMAN). Roque de los Muchachos, 27.ii.2001, 2 ♂♂, HG. Torre del Time, 1.vi.2011, 1 ♂ 1 ♀, GS.

***Eurystylus bellevoeyi* (Reuter, 1879)**

La Lomadita, 21.iii.2010, 4 ♂♂ 19 ♀♀, CR. Tazacorte, 21.iii.2010, 1 ♀, GS.

***Pinalitus insularis* (Reuter, 1895)**

Bco. de la Galga, 24.ii.2001, 1 ♀, HG; 1.v.2009, 5 ♂♂ 9 ♀♀, on *Laurus*, HG, CR, GS. Bco. de las Angustias, 5.v.2009, 1 ♀, HG; 3.vi.2011, 2 ♂♂ 1 ♀, GS. Bco. Herradura, 12.vi.2011, 1 ♂, GS. El Pilar, 21.iii.2009, 1 ♂, BA; 3.v.2009, 1 ♀, HG. Fuencaliente NE, 4.v.2009, 3 ♀♀, CR, GS. Garafía, 17.iii.2008, 1 ♀, JD (ZMAN). La Lomada, 18.vi.2007, 1 ♂ 10 ♀♀, HG. La Lomadita, 21.iii.2010, 1 ♂, GS. Laguna de Barlovento, 1.iv.2009, 1 ♂ 4 ♀♀, on *Laurus*, BA. Las Tricias, 8.v.2009, 1 ♂ 2 ♀♀, CR. Lomo Oscuro, 9.vi.2007, 1 ♂ 2 ♀♀, HG; 9.v.2009, 2 ♀♀, HG. Mirca, 28.iii.2010, 1 ♀, GS. Montaña de la Breña, 28.iii.2009, 2 ♀♀, BA. Pico Birigoyo, 9.vi.2011, 7 ♂♂ 7 ♀♀, GS. Puntagorda, 17.iii.2008, 1 ♀, JD (ZMAN). San Isidro, 6.v.2009, 1 ♂ 1 ♀, GS. Torre del Time, 1.vi.2011, 1 ♂ 1 ♀, GS.

***Taylorilygus apicalis* (Fieber, 1861)**

Bco. Herradura, 12.vi.2011, 1 ♂, GS. Lomo Oscuro, 9.v.2009, 1 ♀, GS; 7.vi.2011, 3 ♀♀, GS. Puerto Naos, 24.iii.2010, 1 ♂ 1 ♀, CR, GS; 26.iii.2010, 1 ♂, CR. San Simón, 27.iii.2010, 2 ♀♀, CR.

***Acetropis (Acetropis) gimmerthalii gimmerthalii* (Flor, 1860)**

Fuencaliente N, 4.v.2009, 1 ♀, CR. Volcán Martín, 10.v.2009, 1 ♀, HG.

***Dolichomiris (Dolichomiris) linearis* Reuter, 1882**

Bco. de las Angustias, 16.iv.2012, 1 ♂, HG. Jedey, 11.vi.2011, 1 ♂ 1 ♀, GS. Lomo Oscuro, 15.iii.2005, 1 ♂ 1 ♀, HG; 9.v.2009, 8 ♂♂ 10 ♀♀, HG, CR, GS; 20.iii.2010, 2 ♂♂ 3 ♀♀, CR, GS; 7.vi.2011, 1 ♂ 1 ♀, GS. Los Barros, 31.iii.2009, 1 ♂ 1 ♀, BA. Montaña Azufre, 27.iii.2010, 7 ♂♂ 5 ♀♀, CR, GS. Nogales, 6.–7.iii.2008, 2 ♂♂, JD (ZMAN). San Simón, 4.v.2009, 11 ♂♂ 8 ♀♀, CR, GS. Santo Domingo, 21.iii.2010, 1 ♀, GS.

***Pachytomella passerinii* (A. Costa, 1842)**

Montaña de la Breña, 28.iii.2009, 4 ♂♂ 2 ♀♀, BA. Montaña de la Negra, 25.iii.2010, 1 ♀, CR. Santo Domingo, 21.iii.2010, 1 ♂ 1 ♀, CR. El Palmar, 27.iii.2009, 7 ♂♂, BA.

***Aetorhinella parviceps* Noualhier, 1893**

Bco. del Jorado, 10. and 13.vi.2011, 4 ♂♂ 11 ♀♀, GS. Bco. de la Galga, 1.v.2009, 6 ♂♂ 13 ♀♀, HG, CR, GS. El Pilar, 21.iii.2009, 1 ♀, BA. El Tablado, 9.iii.2008, 1 ♂, 15.iii.2008, 1 ♂, JD (ZMAN).

***Canariocoris euphorbiae* Lindberg, 1951**

Lomo Oscuro, 9.v.2009, 7 ♂♂ 9 ♀♀, HG, CR, GS; 7.vi.2011, 1 ♂ 1 ♀, GS. Montaña Azufre, 27.iii.2010, 15 ♂♂ 9 ♀♀, on *Euphorbia regis-jubae*, CR, GS. Montaña la Laguna, 22.iii.2010, 1 ♀, GS.

***Canariocoris pinicola* (Lindberg, 1953)**

Bco. de las Angustias, 9.iii.2005, 1 ♂, HG. Fuencaliente N, 4.v.2009, 6 ♂♂ 3 ♀♀, CR, GS; 7.v.2009, 3 ♂♂, CR, GS; 10.v.2009, 2 ♂♂ 2 ♀♀, on *Pinus canariensis*, CR, GS. Jeday, 11.vi.2011, 8 ♂♂ 3 ♀♀, GS. Las Tricias, 8.v.2009, 6 ♂♂ 2 ♀♀, HG, CR, GS; 7.v.2011, 4 ♂♂ 5 ♀♀, GS. Los Barros, 31.iii.2009, 8 ♂♂ 4 ♀♀, BA. San Nicolás, 24.iii.2010, 1 ♂, GS. Volcán Martín, 10.v.2009, 1 ♂ 1 ♀, HG. Volcán San Antonio, 30.iii.2009, 1 ♂ 2 ♀♀, BA.

***Canariocoris viburni* (Lindberg, 1953)**

Bco. de la Galga, 1.v.2009, 1 ♂, CR; 28.iii.2010, 1 ♀, on *Laurus*, CR. El Tablado, 9.iii.2008, 1 ♀, JD (ZMAN).

***Platycranus (Platycranus) lindbergi* Wagner, 1954**

Bco. Hondo, 20.iii.2010, 1 ♂ 2 ♀♀, CR. Fuencaliente N, 4.v.2009, 5 ♂♂ 8 ♀♀, CR, GS; 7.v.2009, 1 ♀, CR. Jeday, 11.vi.2011, 2 ♂♂ 1 ♀, GS. Las Tricias, 14.iii.2005, 1 ♂ 1 ♀, HG; 8.v.2009, 8 ♂♂ 8 ♀♀, on *Retama*, HG, CR, GS. Lomo Oscuro, 7.vi.2011, 2 ♀♀, GS. Los Llanos de Aridane, 20.iii.2009, 2 ♀♀, on *Retama*, BA. Montaña Azufre, 27.iii.2010, 1 ♂ 2 ♀♀, CR, GS. Montaña la Laguna, 13.vi.2007, 1 ♂ 3 ♀♀, HG; 2.v.2009, 18 ♂♂ 31 ♀♀, HG, CR, GS; 22.iii.2010, 2 ♂♂ 1 ♀, on *Retama*, CR. Puntagorda, 10.iii.2008, 9 ♂♂ 13 ♀♀, on *Retama*, JD (ZMAN). San Simón, 4.v.2009, 3 ♂♂ 4 ♀♀, CR, GS; 27.iii.2010 1 ♂ 1 ♀, on *Retama*, CR. Santo Domingo, 21.iii.2010, 3 ♂♂ 3 ♀♀, CR, GS.

***Badezorus signaticornis* (Reuter, 1904)**

El Pilar, 21.iii.2009, 1 ♀, BA. Puerto de Tazacorte, 14.iii.2008, 1 ♂ 4 ♀♀, JD (ZMAN).

***Compsidolon (Coniortodes) beckeri* (Reuter, 1904)**

Bco del Jorado, 23.iii.2009, 3 ♂♂ 4 ♀♀, BA. Bco. de las Angustias, 5.v.2009, 1 ♂, CR. Bco. Hondo, 30.iv.2009, 5 ♂♂ 1 ♀, CR, GS; 2.v.2009, 2 ♂♂ 1 ♀, on *Adenocarpus*, HG, CR. El Paso, farmland, 11.v.2009, 2 ♂♂ 2 ♀♀, GS. El Paso, gravel pit, 25.iii.2010, 1 ♂, CR; 27.iii.2010, 1 ♂ 1 ♀, on *Chamaecytisus proliferus*, CR. El Pilar, 17.vi.2007, 2 ♂♂ 1 ♀, HG; 3.v.2009, 2 ♂♂ 1 ♀, HG, CR, GS; 23.iii.2010, 1 ♀, CR, on *Adenocarpus*; 9.vi.2011, 6 ♂♂ 3 ♀♀, GS. Fuencaliente N, 4.v.2009, 1 ♂ 2 ♀♀, GS; 10.v.2009, 2 ♂♂ 1 ♀, HG. La Lomada, 18.vi.2007, 1 ♂, HG. Pico Birigoyo, 9.vi.2011, 6 ♂♂ 3 ♀♀, GS. Torre del Time, 1.vi.2011, 2 ♂♂ 1 ♀, GS. Volcán Martín, 10.v.2009, 9 ♂♂ 4 ♀♀, on *Adenocarpus*, CR, GS.

***Compsidolon (Coniortodes) freyi* (Wagner, 1954)**

Bco. del Jorado, 13.vi.2011, 1 ♂ 2 ♀♀, GS. Bco. de las Angustias, 20.iii.2005, 1 ♀, HG; 5.v.2009, 3 ♂♂ 7 ♀♀, HG, CR. Bco. Hondo, 30.iv.2009, 7 ♂♂ 11 ♀♀, HG, CR, GS; 2.v.2009, 5 ♂♂ 9 ♀♀, on *Adenocarpus*, HG,

CR. El Paso, farmland, 7.v.2009, 1 ♂, CR; 11.v.2009, 1 ♂, GS. El Paso, gravel pit, 5.vi.2011, 2 ♂♂ 2 ♀♀, GS. El Pilar, 17.vi.2007, 1 ♂ 1 ♀, HG; 9.vi.2011, 3 ♂♂ 2 ♀♀, GS. Fuencaliente, 9.vi.2007, 7 ♂♂ 10 ♀♀, HG. Fuencaliente N, 4.v.2009, 1 ♂, CR. Jedey, 11.vi.2011, 1 ♂ 1 ♀, GS. Lomo Oscuro, 15.iii.2005, 1 ♂ 1 ♀, HG. Los Llanos de Aridane, 20.iii.2009, 1 ♂ 1 ♀, BA. Montaña la Laguna, 2.v.2009, 1 ♀, on *Retama*, CR. Nogales, 6.–7.iii.2008, 1 ♂, JD (ZMAN). Pico Birigoyo, 9.vi.2011, 3 ♂♂ 2 ♀♀, GS. Puntagorda, 15.iii.2008, 1 ♀, JD (ZMAN). Roque de los Muchachos, 27.ii.2001, 2 ♂♂ 2 ♀♀, HG. Salinas, 19.vi.2007, 1 ♂, HG. San Isidro, 6.v.2009, 1 ♂, HG. San Simón, 4.v.2009, 2 ♂♂, CR, GS. Torre del Time, 1.vi.2011, 4 ♂♂ 3 ♀♀, GS. Volcán Martín, 21.ii.2001, 1 ♂ 4 ♀♀, HG; 10.v.2009, 15 ♂♂ 20 ♀♀, on *Adenocarpus*, GS. Volcán Teneguía, 11.vi.2007, 1 ♂, HG.

Compsidolon (Coniortodes) hierroense (Wagner, 1954)

Bco. de las Angustias, 9.iii.2005, 5 ♂♂ 3 ♀♀; 5.v.2009, 1 ♀, HG, GS. Bco. Hondo, 2.v.2009, 2 ♂♂ 1 ♀, HG. El Palmar, 27.iii.2009, 2 ♂♂ 1 ♀, BA. El Paso, farmland, 11.vi.2007, 1 ♀, GS; 11.v.2009, 1 ♀. El Paso, gravel pit, 5.vi.2011, 2 ♂♂ 1 ♀, GS. Fuencaliente N, 4.v.2009, 1 ♂ 2 ♀♀, CR, GS; 10.v.2009, 3 ♂♂ 4 ♀♀, on *Sideritis*, CR. Laguna de Barlovento, 21.iv.2012, 1 ♂ 1 ♀, HG. Las Tricias, 8.v.2009, 1 ♂ 4 ♀♀, GS. Lomo Oscuro, 9.vi.2007, 1 ♀, HG. Puntagorda, 17.iii.2008, 2 ♀♀. Tijarafe, 12.iii.2008, 3 ♂♂ 1 ♀, JD (ZMAN). Torre del Time, 1.vi.2011, 2 ♂♂ 6 ♀♀, GS.

Compsidolon (Coniortodes) longiceps (Reuter, 1904)

Bco. de las Angustias, 5.v.2009, 3 ♂♂ 4 ♀♀, CR, GS. Los Barros, 31.iii.2009, 1 ♂ 3 ♀♀, BA.

Compsidolon (Coniortodes) verbenae (Wagner, 1954)

Bco. Herradura, 12.vi.2011, 1 ♂ 3 ♀♀, GS. Fuencaliente NE, 4.v.2009, 6 ♂♂ 15 ♀♀, on *Artemisia*, CR, GS. La Lomadita, 21.iii.2010, 1 ♂ 1 ♀, CR, GS. Lomo Oscuro, 15.iii.2005, 1 ♂ 2 ♀♀, HG; 9.v.2009, 23 ♂♂ 22 ♀♀, CR, GS; 20.iii.2010, 2 ♂♂ 1 ♀, on *Artemisia*, GS. Montaña Azufre, 27.iii.2010, 1 ♂, GS. Puntagorda, 17.iii.2008, 4 ♂♂ 6 ♀♀, on *Artemisia*, JD (ZMAN). Volcán Martín, 21.ii.2001, 3 ♂♂, HG.

Conostethus venustus longicornis (Fieber, 1858)

El Paso, gravel pit, 23.iii.2010, 3 ♀♀, CR; 25.iii.2010, 1 ♀, CR; 27.iii.2010, 3 ♂♂ 8 ♀♀, GS. Las Tricias, 14.iii.2005, 3 ♀♀. Montaña de la Negra, 25.iii.2010, 1 ♂ 2 ♀♀, CR. Santo Domingo, 21.iii.2010, 17 ♂♂ 18 ♀♀, CR, GS; 26.iii.2010, 6 ♂♂ 1 ♀, CR.

Lindbergopsallus hyperici (Lindberg, 1953)

Bco. de las Angustias, 3.vi.2011, 9 ♂♂ 8 ♀♀. Callejones, 27.iii.2010, 1 ♂ 1 ♀, on *Hypericum*, CR. La Lomada, 18.vi.2007, 2 ♂♂ 1 ♀, HG. Lomo Oscuro, 7.vi.2011, 2 ♂♂ 1 ♀. Mirca, 28.iii.2010, 35 ♂♂ 12 ♀♀, on *Hypericum canariense*, CR. Montaña de la Breña, 28.iii.2009, 4 ♂♂ 2 ♀♀, on *Hypericum*, BA.

Lindbergopsallus instabilis (Reuter, 1904)

Bco. del Jorado, 23.iii.2009, 2 ♂♂ 3 ♀♀, BA. Bco. de las Angustias, 5.v.2009, 1 ♂, CR. La Lomadita, 21.iii.2010, 7 ♂♂ 6 ♀♀, CR, GS. Las Tricias, 8.v.2009, 1 ♂, HG. Lomo Oscuro, 15.iii.2005, 2 ♂♂ 2 ♀♀, HG; 9.v.2009, 2 ♂♂ 2 ♀♀, HG, CR; 20.iii.2010, 15 ♂♂ 19 ♀♀, CR, GS; 7.vi.2011, 3 ♀♀, on *Lavendula*, GS. Los Llanos de Aridane, 20.iii.2009, 2 ♀♀, on *Lavendula*, BA. Montaña Azufre, 27.iii.2010, 15 ♂♂ 12 ♀♀, CR, GS. Montaña la Laguna, 2.v.2009, 2 ♂♂, HG, CR, 22.iii.2010, 4 ♂♂ 10 ♀♀, on *Lavendula*, CR, GS. Nogales, 6.–7.iii.2008, 8 ♂♂ 2 ♀♀, JD (ZMAN). Puerto Naos, 24.iii.2010, 1 ♂ 4 ♀♀, GS; 26.iii.2010, 1 ♀, on *Lavendula*, CR. Punta Baja de San Simón, 4.iv.2009, 2 ♂♂, BA. Puntagorda, 10.iii.2008, 1 ♀, JD (ZMAN). San Simón, 27.iii.2010, 1 ♀, CR. Santo Domingo, 21.iii.2010, 9 ♂♂ 5 ♀♀, GS.

***Lindbergopsallus lunariae* Rieger, Strauss et Günther, 2011**

Bco. del Jorado, 23.iii.2009, 4 ♂♂ 4 ♀♀, BA. Bco. de las Angustias, 20.iii.2005, 1 ♂, HG; 16.iv.2012, 3 ♂♂ 1 ♀, HG. El Paso, farmland, 24.iv.2012, 2 ♂♂ 1 ♀, HG. Fuencaliente N, 4.v.2009, 6 ♂♂, CR; 7.v.2009, 2 ♀♀, CR; 10.v.2009, 2 ♂♂ 1 ♀, HG. Fuencaliente NE, 4.v.2009, 3 ♂♂ 2 ♀♀, CR, GS. La Fajana, 28.ii.1998, 7 ♂♂, on *Rumex lunaria*, JD (ZMAN). Lomo Oscuro, 15.iii.2005, 2 ♂♂, HG; 9.vi.2007, 1 ♂, HG; 9.v.2009, 13 ♂♂ 3 ♀♀, HG, GS; 20.iii.2010, 6 ♂♂ 8 ♀♀, CR, GS; 7.vi.2011, 3 ♂♂ 2 ♀♀, GS; 14.iv.2012, 1 ♂. Montaña Argual, 29.iii.2009, 7 ♂♂ 2 ♀♀, BA. Montaña Azufre, 27.iii.2010, 9 ♂♂ 1 ♀. Montaña la Laguna, 2.v.2009, 1 ♂ 2 ♀♀, CR, GS. Puerto de Tazacorte, 14.iii.2008, 2 ♂♂ 1 ♀. Puntagorda 15.iii.2008, 7 ♂♂ 12 ♀♀, JD (ZMAN). Torre del Time, 1.vi.2011, 1 ♂ 2 ♀♀, GS. Volcán Teneguía, 11.vi.2007, 1 ♀, HG; 30.iv.2009, 1 ♂, GS; 20.iv.2012, 3 ♂♂ 1 ♀, HG.

***Lindbergopsallus lauri* Rieger, 2012**

Montaña de la Breña, 28.iii.2009, 1 ♂, BA.

***Tuponia (Chlorotuponia) oculata* Wagner, 1954**

Bco. Herradura, 12.vi.2011, 1 ♂ 8 ♀♀, GS. Punta Baja de San Simón, 4.v.2009, 5 ♂♂ 4 ♀♀, on *Tamarix*, CR, GS.

***Tuponia (Tuponia) rubella* Puton, 1889**

Bco. de la Galga, 24.ii.2001, 2 ♂♂, HG. El Pilar, 21.iii.2009, 1 ♂, BA. La Lomada, 18.vi.2007, 1 ♂, HG. Lomo Oscuro, 9.vi.2007, 2 ♂♂, HG. Puntagorda, 10.iii.2008, 1 ♂ 1 ♀. El Tablado, 9.iii.2008, 1 ♂, JD (ZMAN).

NABIDAE

***Nabis (Nabis) pseudoferus ibericus* Remane, 1962**

Bco. de la Galga, 12.vi.2007, 3 ♂♂ 2 ♀♀, HG; 1.v.2009, 4 ♂♂ 3 ♀♀, HG, CR, GS; 28.iii.2010, 2 ♀♀, CR. El Paso, farmland, 11.vi.2007, 1 ♂ 1 ♀, HG; 7.v.2009, 1 ♀; 11.v.2009, 2 ♂♂, HG, CR; 22.iii.2010, 2 ♀♀, CR. El Pilar, 17.vi.2007, 1 ♂, HG. La Lomada, 18.vi.2007, 1 ♂ 1 ♀, HG; Laguna de Barlovento, 1.iv.2009, 1 ♀, BA. Lomo Oscuro, 9.vi.2007, 1 ♂ 1 ♀, HG; 9.v.2009, 1 ♀, HG. Montaña Azufre, 4.v.2009, 1 ♂, GS. Roque de los Muchachos, 27.ii.2001, 1 ♀, HG. San Isidro, 6.v.2009, 5 ♂♂ 1 ♀, CR. San Simón, 4.v.2009, 1 ♂ 1 ♀, GS; 27.iii.2010, 2 ♀♀, CR.

***Nabis (Tropiconabis) capsiformis* Germar, 1838**

Bco. de la Galga, 1.v.2009, 1 ♂, GS. Bco. de las Angustias, 9.iii.2005, 1 ♀, HG; 20.iii.2005, 2 ♂♂ 3 ♀♀, HG; 3.vi.2011, 1 ♂ 1 ♀, GS. Bco. Hondo, 2.v.2009, 1 ♀, GS. El Paso, farmland, 11.v.2009, 1 ♂, GS. Fuencaliente, 26.ii.2001, 1 ♀, HG. Las Tricias, 7.v.2011, 1 ♂ 2 ♀♀, GS. Lomo Oscuro, 9.v.2009, 1 ♂ 3 ♀♀, HG, GS; 20.iii.2010, 1 ♂, GS. Montaña Azufre, 27.iii.2010, 1 ♂ 1 ♀, CR, GS. Montaña la Laguna, 2.v.2009, 1 ♀, GS; 22.iii.2010, 1 ♀, GS. Puerto Naos, 24.iii.2010, 1 ♂, GS. San Simón, 4.v.2009, 2 ♂♂ 2 ♀♀, CR. Torre del Time, 1.vi.2011, 1 ♂, GS.

ANTHOCORIDAE

***Anthocoris alienus* (White, 1880)**

Bco. de las Angustias, 5.v.2009, 1 ♂, HG. Bco. Hondo, 2.v.2009, 2 ♂♂, CR. El Paso, gravel pit, 25.iii.2010, 4 ♂♂ 3 ♀♀, CR; 27.iii.2010, 3 ♂♂ 10 ♀♀ on *Chamaecytisus proliferus*, CR. El Pilar, 17.vi.2007, 1 ♀, HG;

3.v.2009, 18 ♂♂ 38 ♀♀, on *Adenocarpus*, HG, CR, GS. Pico Birigoyo, 9.vi.2011, 3 ♂♂ 4 ♀♀, GS. Roque de los Muchachos, 26.ii.2001, 2 ♀♀, HG; 27.ii.2001, 1 ♂ 1 ♀, HG. Volcán Martín, 10.v.2009, 1 ♀ 1 larva, on *Adenocarpus*, CR.

***Anthocoris salicis* Lindberg, 1953**

Barlovento, 21. and 26.v.2010, 3 ♀♀ 10 ♀♀, on *Laurus*, CR. Bco. de la Galga, 28.iii.2010, 1 ♂ 1 ♀, on *Laurus*, GS. El Paso, gravel pit, 27.iii.2010, 1 ♀, on *Chamaecytisus*, CR. El Pilar, 21.iii.2009, 1 ♀, BA. Santa Cruz, 16.iii.2005, 1 ♀, HG.

***Orius (Microtrachelia) retamae* (Noualhier, 1893)**

Roque de los Muchachos, 27.ii.2001, 3 ♀♀, HG; 8.iii.2008, 1 ♂ 14 ♀♀, on *Adenocarpus spartioides*, JD (ZMAN).

***Orius (Orius) laevigatus maderensis* (Reuter, 1884)**

Bco. de la Galga, 1.v.2009, 2 ♀♀, HG, CR. Bco. de las Angustias, 5.vi.2007, 1 ♂, HG; 5.v.2009, 1 ♀, HG. Bco. Hondo, 30.iv.2009, 3 ♂♂ 10 ♀♀, CR, GS; 2.v.2009, 1 ♂ 11 ♀♀, HG, CR. El Paso, farmland, 7.v.2009, 1 ♀, CR. El Pilar, 2.v.2009, 2 ♂♂ 16 ♀♀, HG, GS. Fuencaliente N, 4.v.2009, 2 ♀♀, on *Rumex*, CR; 10.v.2009, 2 ♀♀, HG. Fuencaliente NE, 4.v.2009, 1 ♂ 1 ♀, on *Artemisia*, CR. La Lomadita, 21.iii.2010, 10 ♂♂ 7 ♀♀, GS. Las Tricias, 8.v.2009, 1 ♀, CR. Lomo Oscuro, 9.vi.2007, 1 ♂ 1 ♀, HG; 9.v.2009, 2 ♂♂ 2 ♀♀, HG, CR. Montaña Azufre, 27.iii.2010, 1 ♂, GS. Montaña la Laguna, 12.vi.2007, 1 ♂, HG; 2.v.2009, 1 ♂, CR; 22.iii.2010, 3 ♂♂ 1 ♀, CR. Nogales, 6–7.iii.2008, 2 ♂♂ 3 ♀♀, J.D. (ZMAN). Pico de la Nieve, 6.v.2009, 1 ♀, HG. Roque de los Muchachos, 27.ii.2001, 1 ♂ 1 ♀, HG. Volcán Martín, 10.v.2009, 7 ♂♂ 6 ♀♀, on *Adenocarpus*, CR. Volcán San Antonio, 30.iii.2009, 1 ♂, BA. Volcán Teneguía, 30.iv.2009, 5 ♂♂ 5 ♀♀, CR.

***Orius (Orius) limbatus* Wagner, 1952**

La Lomadita, 21.iii.2010, 28 ♂♂ 15 ♀♀, CR. Los Llanos de Aridane, 26.iii.2009, 1 ♂, BA. Volcán San Antonio, 30.iii.2009, 2 ♂♂ 2 ♀♀, BA.

***Xylocoris (Xylocoris) contiguus* Wagner, 1954**

Bco. Hondo, 2.v.2009, 1 larva, HG. Fuencaliente N, 7.v.2009, 3 ♂♂, in dried grass tufts, CR, GS; 10.v.2009, 1 ♂, HG. Lomo Oscuro, 9.v.2009, 3 ♀♀, in dried grass tufts, CR. Volcán Martín, 10.v.2009, 2 ♂♂ 1 ♀, HG.

REDUVIIDAE

***Empicoris rubromaculatus* (Blackburn, 1889)**

Bco. de las Angustias, 5.v.2009, 1 ♀, CR. Puerto Naos, 26.iii.2010, 2 ♂♂ 2 ♀♀, on *Nicotiana glauca*, CR.

***Coranus (Coranus) griseus* (Rossi, 1790)**

Lomo Oscuro, 20.iii.2010, 1 larva 5 → 1 ♀, CR. Montaña la Laguna, 22.iii.2010, 1 ♀, GS. Puerto Naos, 24.iii.2010, 2 ♀♀ 1 larva 5 → 1 ♂, CR, GS; 29.iii.2010, 1 ♂ 3 ♀♀ 3 larvae 5 ? 2 ♂♂ 1 ♀, CR, GS. Las Tricias, 7.v.2011, 1 ♂, GS.

***Coranus (Coranus) aegyptius* (Fabricius, 1775)**

El Paso, farmland, 7.v.2009, 1 ♂ 1 ♀, HG. Lomo Oscuro, 9.v.2009, 1 ♂, HG. Montaña la Laguna, 12.vi.2007, 3 ♂♂, HG.

ARADIDAE

***Aneurus (Aneurodes) tagasastei* Enderlein, 1931**

Bco. del Agua, 29.ix.2002, 2 ♂♂ 3 ♀♀, W. Löderbusch leg. (CR). Bco. Gallegos, 5.x.2002, 4 ♂♂ 2 ♀♀, F. Lange leg. (CR). Breña Alta, 1.x.2002, 1 ♂, F. Lange leg. (CR). El Tablado, 9.iii.2008, 1 ♀ 1 larva 5, JD (ZMAN).

***Aradus (Aradus) reuterianus* Puton, 1875**

Hoya Grande, 30.ix.2002, 1 ♀, F. Lange leg. (CR).

LYGAEIDAE

***Caenocoris nerii* (Germar, 1847)**

Puntagorda, 10.iii.2008, 1 ♂, JD (ZMAN). Volcán Teneguía, 11.vi.2007, 1 ♂, HG.

***Lygaeosoma sardeum sardeum* Spinola, 1837**

Bco. Hondo, 30.iv.2009, 1 ♀, GS. El Palmar, 27.iii.2009, 1 ♀, BA. La Punta, 2.iv.2009, 1 ♀, BA. Las Tricias, 7.v.2011, 1 ♂ 1 ♀, GS. Nogales, 6–7.iii.2008, 1 ♀, JD (ZMAN). Puntagorda, 17.iii.2008, 1 ♀, JD (ZMAN); 25.iii.2010, 1 ♂, GS. San Simón, 27.iii.2010, 3 ♂♂ 2 ♀♀, CR. Santo Domingo, 21.iii.2010, 10 ♂♂ 2 ♀♀, CR, GS; 26.iii.2010, 2 ♂♂ 3 ♀♀, CR.

***Spilostethus pandurus* (Scopoli, 1763)**

Bco. de las Angustias, 3.vi.2011, 1 ♂, GS. Bco. Hondo, 30.iv.2009, 1 ♀, GS. El Paso, farmland, 7.v.2009, 1 ♀, CR. Fuencaliente N, 20.iii.2010, 1 ♂, CR. Jedey, 13.iii.2008, 1 ♀, JD (ZMAN). La Fajana, 9.iii.2008, 1 ♀, JD (ZMAN). La Lomadita, 21.iii.2010, 1 ♂, GS. Las Tricias, 8.v.2009, 1 ♀, GS. Puntagorda, 23.iii.2010, 1 ♀, GS. Torre del Time, 1.vi.2011, 1 ♀, GS.

***Nysius cymoides* (Spinola, 1837)**

El Pilar, 21.iii.2009, 1 ♀, BA. Jedey, 11.vi.2011, 3 ♂♂ 3 ♀♀, GS. Lomo Oscuro, 7.vi.2011, 3 ♂♂ 1 ♀, GS.

***Nysius ericae ericae* (Schilling, 1829)**

Fuencaliente, 26.ii.2001, 1 ♀, HG. Lomo Oscuro, 9.vi.2007, 1 ♂ 2 ♀♀, HG; 9.v.2009, 1 ♂, GS. Roque de los Muchachos, 27.ii.2001, 1 ♀, HG; 13.vi.2007, 1 ♂, HG. Salinas, 12.vi.2007, 1 ♂ 1 ♀, HG. San Simón, 9.vi.2007, 1 ♀; 4.v.2009, 1 ♂ 1 ♀, GS. Torre del Time, 1.vi.2011, 1 ♀, GS.

***Nysius immunis* (Walker, 1872)**

Barlovento, 21.iii.2010, 2 ♂♂ 2 ♀♀, GS. Bco. del Jorado, 10.vi.2011, 1 ♀, GS; 13.vi.2011, 1 ♂ 1 ♀, GS. Bco. de las Angustias, 21.ii.2001, 1 ♂, HG; 3.vi.2011, 1 ♂ 1 ♀, GS. Bco. Herradura, 12.vi.2011, 1 ♂ 1 ♀, GS. Callejones, 27.iii.2010, 1 ♂, on *Hypericum*, CR. El Pilar, 17.vi.2007, 1 ♂ 1 ♀, HG; 3.v.2009, 1 ♂ 1 ♀, HG; 23.iii.2010, 1 ♀, GS. Fuencaliente N, 7.v.2009, 4 ♂♂ 2 ♀♀, CR, GS. Fuencaliente NE, 4.v.2009, 1 ♂ 1 ♀, CR. Jedey S, 11.vi.2011, 2 ♂♂ 2 ♀♀, GS. La Fajana, 9.iii.2008, 1 ♂ 1 ♀, JD (ZMAN). La Lomadita, 21.iii.2010, 1 ♂ 1 ♀, CR, GS. Lomo Oscuro, 9.v.2009, 2 ♂♂ 6 ♀♀, HG, GS; 20.iii.2010, 2 ♂♂ 2 ♀♀, CR, GS; 7.vi.2011, 3 ♂♂ 1 ♀, GS. Montaña de la Negra, 25.iii.2010, 1 ♂ 1 ♀, CR. Montaña la Laguna, 13.vi.2007, 1 ♀, HG; 2.v.2009, 8 ♂♂ 8 ♀♀, HG, CR, GS. Nogales, 6–7.iii.2008, 4 ♂♂, JD (ZMAN). Puntagorda, 25.iii.2010, 1 ♂, from leaf crown of *Sonchus*, CR, GS. Puntagorda, 17.iii.2008, 2 ♂♂, JD (ZMAN). Roque de los Muchachos, 27.ii.2001, 1 ♀, HG; 15.iii.2005, 1 ♂ 1 ♀, HG. Salinas, 12.vi.2007, 1 ♂, HG. San Isidro, 6.v.2009, 1 ♀, GS. San Nicolás, 24.iii.2010, 2 ♂♂ 2 ♀♀, CR, GS. Santo Domingo, 21.iii.2010, 1 ♂, CR. Volcán Teneguía, 26.ii.2001, 2 ♀♀, HG; 30.iv.2009, 4 ♂♂ 2 ♀♀, HG, CR.

***Orsillus pinicanariensis* Lindberg, 1953**

Bco. de las Angustias, 5.v.2009, 2 ♀♀, on *Pinus*, CR. El Paso, gravel pit, 23.iii.2010, 1 ♂, CR; 27.iii.2010, 1 ♀, GS; 5.vi.2011, 1 ♂, GS. El Pilar, 2.v.2009, 1 ♂, GS; 23.iii.2010, 3 ♂♂ 2 ♀♀, on *Pinus canariensis*, CR. El Pinar, 25.iii.2009, 4 ♂♂, on *Pinus canariensis*, BA. Fuencaliente N, 4.v.2009, 2 ♂♂ 2 ♀♀, on *Pinus*, CR, GS. Las Tricias, 7.v.2011, 1 ♂, GS. San Nicolás, 20.iii.2010, 4 ♂♂ 20 ♀♀, CR, GS; 24.iii.2010, 1 ♂ 3 ♀♀, in pine cones, GS. Torre del Time, 1.vi.2011, 1 ♂, GS. Volcán Martín, 10.v.2009, 5 ♂♂ 2 ♀♀, on *Pinus*, HG, CR, GS.

***Kleidocerys truncatulus* (Walker, 1872)**

Barlovento, 21.iii.2010, 2 ♂♂ 2 ♀♀, on *Erica*, CR. Bco. de la Galga, 24.ii.2001, 1 ♂, HG; 1.v.2009, 10 ♂♂ 6 ♀♀, HG, on *Erica arborea*, CR; 28.iii.2010, 1 ♂, GS. El Paso, farmland, 7.v.2009, 1 ♀, HG; 11.v.2009, 1 ♂ 1 ♀, on *Erica arborea*, CR; 22.iii.2010, 1 ♂, GS. El Pilar, 21.iii.2009, 2 ♂♂ 1 ♀, BA; 3.v.2009, 3 ♂♂ 4 ♀♀, on *Erica arborea*, CR, GS; 23.iii.2010, 1 ♂ 1 ♀, on *Erica*, CR, GS; 9.vi.2011, 1 ♂ 3 ♀♀, GS. El Tablado, 9.iii.2008, 2 ♂♂ 1 ♀; 15.iii.2008, 2 ♂♂, JD (ZMAN). Laguna de Barlovento, 1.iv.2009, 1 ♂ 2 ♀♀, on *Erica arborea*, BA. Lomo Oscuro, 9.v.2009, 1 ♂, HG. Pico Birigoyo, 9.vi.2011, 1 ♂ 3 ♀♀, GS. San Isidro, 6.v.2009, 4 ♂♂ 1 ♀, HG, GS; 23.iv.2012, 1 ♂, HG. Santo Domingo, 21.iii.2010, 2 ♂♂ 1 ♀, CR, GS.

***Geocoris (Geocoris) pubescens* (Jakovlev, 1871)**

Bco. de la Galga, 12.vi.2007, 1 ♂, HG. El Paso, 11.vi.2007, 1 ♀, HG. Hoya Grande, 8.iii.2008, 1 ♂ 1 ♀, JD (ZMAN). Lomo Oscuro, 9.v.2009, 1 ♂, HG. Puerto de Tazacorte, 14.iii.2008, 1 ♀, JD (ZMAN).

***Heterogaster canariensis* Lindberg, 1960**

Bco. del Jorado, 13.vi.2011, 2 ♂♂, GS. Bco. de las Angustias, 22.ii.2001, 2 ♂♂ 1 ♀, HG; 16.iv.2012, 1 ♂ 1 ♀, HG. Bco. Hondo, 30.iv.2009, 1 ♀, GS. El Paso, farmland, 11.v.2009, 4 ♂♂, CR. Jedey, 11.vi.2011, 2 ♂♂ 2 ♀♀, GS. La Lomadita, 21.iii.2010, 1 ♂ 1 ♀, GS. Las Tricias, 8.v.2009, 8 ♂♂ 3 ♀♀, CR, GS; 7.vi.2011, 1 ♀, GS. Lomo Oscuro, 7 ♂♂ 3 ♀♀, HG; 9.v.2009, 1 ♂ 1 ♀, on *Thymus*, CR; 20.iii.2010, 2 ♂♂, on *Lavendula*, CR, GS; 7.vi.2011, 1 ♂ 1 ♀, GS. Los Llanos de Aridane, 20.iii.2009, 3 ♀♀, on *Lavendula*, BA. Montaña Azufre, 27.iii.2010, 1 ♂ 1 ♀, GS. Montaña la Laguna, 2.v.2009, 5 ♂♂ 4 ♀♀, on *Lavendula*, CR, GS; 22.iii.2010, 4 ♂♂ 3 ♀♀, CR, GS. Puerto Naos, 24.iii.2010, 1 ♀, GS; 29.iii.2010, 1 ♀, on *Lavendula*, CR. Punta Baja de San Simón, 4.v.2009, 1 ♂ 6 ♀♀, on *Lavendula*, CR, GS. San Nicolás, 24.iii.2010, 2 ♂♂ 2 ♀♀, CR, GS. Santo Domingo, 21.iii.2010, 1 ♂ 3 ♀♀, GS. Volcán Martín, 21.ii.2001, 2 ♂♂ 1 ♀, HG. Volcán San Antonio, 30.iii.2009, 2 ♀♀, on *Lavendula*, BA.

***Heterogaster urticae* (Fabricius, 1775)**

Punta Baja de San Simón, 20.iii.2010, 4 larvae → 2 ♀♀, CR; 27.iii.2010, 6 larvae → 1 ♂ 5 ♀♀, CR.

***Bethylimorphus leucophaes* Lindberg, 1953**

Las Tricias, 7.v.2011, 1 ♂, GS. Lomo Oscuro, 15.iii.2005, 2 ♂♂ 4 ♀♀; 4.v.2009, 2 ♂♂ 1 ♀, GS. Montaña Azufre, 27.iii.2010, 1 ♂, CR. Montaña la Laguna, 12.vi.2007, 2 ♂♂ 2 ♀♀. Salinas, 6.xii.2007, 4 ♂♂ 2 ♀♀. San Simón, 4.v.2009, 2 ♂♂ 1 ♀.

***Macroplox vicina* Puton, 1889**

Bco. del Jorado, 13.vi.2011, 1 ♂, GS. Bco. Hondo, 30.iv.2009, 4 ♂♂ 3 ♀♀, CR, GS; 2.v.2009, 10 ♂♂ 5 ♀♀, HG, CR. El Paso, farmland, 11.vi.2007, 2 ♂♂ 1 ♀, HG; 7.v.2009, 4 ♂♂ 1 ♀, HG, CR; 11.v.2009, 4 ♂♂ 4 ♀♀, CR, GS; 22.iii.2010, 5 ♂♂ 4 ♀♀, CR, GS. El Paso, gravel pit, 25.iii.2010, 1 ♂, CR; 27.iii.2010, 1 ♀, GS. El Pilar, 17.vi.2007, 13 ♂♂ 9 ♀♀, HG; 21.iii.2009, 2 ♂♂ 4 ♀♀, BA; 3.v.2009, 5 ♂♂ 5 ♀♀, CR, GS; 23.iii.2010, 1 ♂ 1 ♀, GS. El Pinar, 25.iii.2009, 6 ♂♂ 6 ♀♀, BA. Fuencaliente N, 7.v.2009, 1 ♀, GS. Jedey, 11.vi.2011, 1 ♂ 1 ♀, GS. Las Tricias, 8.v.2009, 2 ♂♂ 3 ♀♀, CR, GS. Lomo Oscuro, 9.v.2009, 1 ♂, CR. Pico Birigoyo, 9.vi.2011, 1 ♂ 1 ♀, GS. Pico de la Nieve, 1070 m a.s.l., 6.v.2009, 5 ♂♂ 3 ♀♀, on *Cistus symphytifolius*, CR. Pico de la Nieve, 665 m a.s.l., 6.v.2009, 3 ♂♂ 2 ♀♀, on *Cistus monspeliensis*, HG, CR. Puntagorda, 25.iii.2010,

Heteroptera of La Palma, Canary Islands

1 ♂, GS. San Isidro, 6.v.2009, 5 ♂♂ 5 ♀♀, HG, CR. Santo Domingo, 21.iii.2010, 1 ♂, GS. Torre del Time, 1.vi.2011, 1 ♂ 1 ♀, GS.

Microplax interrupta (Fieber, 1837)

Bco. Hondo, 30.iv.2009, 2 ♂♂ 4 ♀♀, HG, CR, GS; 2.v.2009, 6 ♂♂ 3 ♀♀, HG, CR. El Pilar, 3.v.2009, 3 ♂♂ 2 ♀♀, CR, GS. Garafia, 17.iii.2008, 6 ♂♂ 6 ♀♀, JD (ZMAN). San Simón, 27.iii.2010, 8 ♂♂ 13 ♀♀, CR. Santo Domingo, 21.iii.2010, 1 ♂ 1 ♀, GS.

Oxycarenus (Oxycarenus) lavaterae (Fabricius, 1787)

Bco. del Jorado, 10.vi.2011, 1 ♂ 1 ♀, GS. Bco. de las Angustias, 3.vi.2011, 1 ♂, GS. Bco. Herradura, 12.vi.2011, 2 ♀♀, GS. Bco. Hondo, 30.iv.2009, 1 ♀, GS. Jedey, 13.iii.2008, 1 ♀, JD (ZMAN). La Lomadita, 21.iii.2010, 4 ♂♂ 4 ♀♀, CR, GS. La Punta, 2.iv.2009, 1 ♂, BA. Las Tricias, 8.v.2009, 2 ♂♂ 3 ♀♀, on cultivated *Malva*, CR, GS. Pico de la Nieve, 665 m a.s.l., 6.v.2009, 1 ♂, GS. Puerto Naos, 24.iii.2010, 3 ♂♂ 4 ♀♀, CR, GS; 29.iii.2010, 1 ♂ 1 ♀, GS. Puntagorda, 25.iii.2010, 1 ♀, CR. Tazacorte, 21.iii.2010, 1 ♂, GS. Torre del Time, 1.vi.2011, 1 ♀, GS.

Tropistethus seminitens Puton, 1889

Bco. de la Galga, 24.ii.2001, 1 ♀, HG. Bco. de las Angustias, 20.iii.2005, 1 ♂ 1 ♀, HG. Bco. Hondo, 2.v.2009, 1 ♂, GS. El Pilar, 3.v.2009, 5 ♂♂ 6 ♀♀, CR, GS. Fuencaliente N, 20.iii.2010, 24 ♂♂ 17 ♀♀, CR, GS. Laguna de Barlovento, 21.iv.2012, 1 ♂ 1 ♀, HG. Lomo Oscuro, 15.iii.2005, 3 ♂♂ 4 ♀♀, HG; 9.v.2009, 1 ♂, CR; 20.iii.2010, 1 ♀, GS. Los Llanos de Aridane, 26.iii.2009, 5 ♂♂, BA. San Isidro, 6.v.2009, 2 ♀♀, GS. Volcán Martín, 21.ii.2001, 1 ♂ 1 ♀, HG.

Eremocoris maderensis (Wollaston, 1858)

San Isidro, 6.v.2009, 1 ♀, HG.

Ischnocoris mundus (Walker, 1872)

Bco. Hondo, 30.iv.2009, 1 ♀, GS. El Paso, farmland, 7.v.2009, 1 ♂, CR. El Pilar, 2.v.2009, 1 ♂ 2 ♀♀, GS. El Pinar, 25.iii.2009, 2 ♀♀, BA. San Isidro, 6.v.2009, 1 ♂ 2 ♀♀, CR, GS.

Scolopostethus pilosus maderensis Reuter, 1881

Bco. de la Galga, 24.ii.2001, 2 ♂♂ 2 ♀♀, HG; 10.iii.2005, 1 ♂ 1 ♀, HG; 1.v.2009, 2 ♀♀, HG, GS. El Pilar, 3.v.2009, 2 ♂♂ 4 ♀♀, CR. El Tablado, 9.iii.2008, 5 ♂♂ 6 ♀♀; 15.iii.2008, 5 ♀♀ 1 larva 5, JD (ZMAN). Fuencaliente, 26.ii.2001, 1 ♂, HG. Laguna de Barlovento, 1.iv.2009, 4 ♂♂ 4 ♀♀, BA; 21.iv.2012, 2 ♂♂ 2 ♀♀, HG. Montaña la Laguna, 12.vi.2001, 1 ♀, HG. San Isidro, 6.v.2009, 8 ♂♂ 6 ♀♀, HG, CR, GS.

Aphanus rolandri (Linnaeus, 1758)

Bco. de la Galga, 10.iii.2005, 2 ♂♂, HG. El Paso, farmland, 22.iii.2010, 1 ♂, CR. Garafia, 11.iii.2008, 1 ♂, JD (ZMAN). Laguna de Barlovento, 1.iv.2009, 4 ♂♂ 1 ♀, BA. Los Llanos de Aridane, 23.iii.2009, 1 ♂; 26.iii.2009, 1 ♀, BA. Volcán Martín, 21.ii.2001, 1 ♂ 1 ♀, HG.

Emblethis angustus Montandon, 1890

El Palmar, 27.iii.2009, 1 ♂, BA; Laguna de Barlovento, 21.iv.2012, 1 ♀, HG.

Emblethis denticollis Horváth, 1878

El Palmar, 27.iii.2009, 2 ♂♂ 2 ♀♀, BA. El Paso, farmland, 7.v.2009, 1 ♂ 1 ♀, CR. El Pilar, 21.iii.2009, 1 ♀, BA. La Punta, 2.iv.2009, 6 ♂♂ 6 ♀♀, BA.

***Emblethis duplicatus* Seidenstücker, 1963**

El Palmar, 27.iii.2009, 3 ♀♀, BA. El Paso, farmland, 7.v.2009, 1 ♂; 22.iii.2010, 1 ♂ 2 ♀♀, CR, GS. El Paso, gravel pit, 25.iii.2010, 1 ♂ 3 ♀♀, CR; 27.iii.2010, 1 ♂ 3 ♀♀, GS; 5.vi.2011, 1 ♂ 1 ♀, GS. La Lomadita, 23.iv.2012, 1 ♀. Laguna de Barlovento, 21.iv.2012, 2 ♂♂ 1 ♀, HG. Lomo Oscuro, 23.iv.2012, 1 ♀, HG. Los Llanos de Aridane, 26.iii.2009, 1 ♀, BA. Nogales, 6–7.iii.2008, 1 ♀, JD (ZMAN). Puerto Naos, 29.iii.2010, 1 ♂, GS. San Simón, 9.vi.2007, 1 ♀, 27.iii.2010, 1 ♂, CR. Santo Domingo, 21.iii.2010, 1 ♀, GS; 26.iii.2010, 4 ♂♂ 2 ♀♀, CR.

***Noualhieria pieltaini* Gomez-Menor, 1924**

(Fig. 1)

Bco. Herradura, 12.vi.2011, 1 ♂, GS. Montaña Raijada, 24.iii.2010, 1 ♂ 2 ♀♀, on *Sonchus*, CR. Puntagorda, 25.iii.2010, 22 ♂♂ 13 ♀♀, from leaf crowns of *Sonchus*, CR, GS. San Nicolás, 24.iii.2010, 19 ♂♂ 12 ♀♀, on *Sonchus* (Fig. 1), CR, GS.

***Plinthisus (Plinthisus) canariensis* Wagner, 1963**

El Pinar, 25.iii.2009, 6 ♂♂ 8 ♀♀, BA.

***Beosus maritimus* (Scopoli, 1763)**

Bco. del Jorado, 23.iii.2009, 2 ♂♂, BA. Bco. de la Galga, 1.v.2009, 1 ♀, GS. El Palmar, 27.iii.2009, 1 ♀, BA. El Paso, farmland, 7.v.2009, 2 ♂♂ 2 ♀♀, CR. El Paso, gravel pit, 27.iii.2010, 1 ♀, GS. Fuencaliente N, 4.v.2009, 1 ♂, GS. Nogales, 6–7.iii.2008, 1 ♂, JD (ZMAN). Puerto Naos, 24.iii.2010, 1 ♂, GS, 29.iii.2010, 1 ♂, GS.

***Peritrechus gracilicornis* Puton, 1877**

La Lomada, 18.vi.2007, 1 ♀, HG. Laguna de Barlovento, 1.iv.2009, 2 ♂♂ 2 ♀♀, BA; 21.iv.2012, 2 ♂♂ 2 ♀♀, HG. San Isidro, 6.v.2009, 2 ♀♀, CR.

***Raglius alboacuminatus alboacuminatus* (Goeze, 1778)**

Bco. Hondo, 30.iv.2009 1 ♂ 1 ♀, CR; 2.v.2009, 1 ♂ 2 ♀♀, HG. Laguna de Barlovento, 1.iv.2009, 2 ♂♂ 4 ♀♀, BA.

Comment. All specimens belong to var. *funereus* Puton, 1878.

***Xanthochilus saturnius* (Rossi, 1790)**

El Paso, farmland, 11.vi.2007, 2 ♂♂ 1 ♀, HG, GS; 7.v.2009, 1 ♂, HG; 11.v.2009, 4 ♂♂ 5 ♀♀, HG, CR. Las Tricias, 19.iv.2012, 1 ♂, HG. Puntagorda, 25.iii.2010, 3 ♀♀, CR, from leaf crowns of *Sonchus*.

***Hyalochilus ovatulus* (A. Costa, 1853)**

Bco. Herradura, 12.vi.2011, 1 ♂, GS. Jedey, 11.vi.2011, 1 ♂, GS. La Lomadita, 21.iii.2010, 2 ♂♂ 1 ♀, CR. Los Llanos de Aridane, 26.iii.2009, 1 ♀, BA.

***Stygnocoris barbieri* Péricart, 1993**

Fuencaliente N, 7.v.2009, 1 ♀, CR. San Isidro, 6.v.2009, 9 ♂♂ 1 ♀, HG. Volcán Martín, 10.v.2009, 1 ♀, HG.

BERYTIDAE

***Neides aduncus* Fieber, 1859**

Bco. Hondo, 30.iv.2009, 1 ♂, CR. El Paso, farmland, 24.iv.2012, 1 ♀, HG. Montaña las Moraditas, 21.iii.2009, 3 ♂♂, BA.

Berytinus (Berytinus) hirticornis pilipes (Puton, 1875)

Bco. de la Galga, 1.v.2009, 1 ♂, CR; 18.iv.2012, 1 ♂, HG. Fuencaliente, 26.ii.2001, 1 ♂, HG. Laguna de Barlovento, 21.iv.2012, 1 ♂, HG. Lomo Oscuro, 9.v.2009, 1 ♂, HG. Montaña Azufre, 27.iii.2010, 1 ♂ 1 ♀, GS. San Simón, 4.v.2009, 1 ♂, CR; 27.iii.2010, 3 ♂♂ 3 ♀♀, CR.

Berytinus (Lizinus) montivagus (Meyer-Dür, 1841)

Bco. Hondo, 30.iv.2009, 3 ♂♂ 2 ♀♀, CR, GS; 2.v.2009, 5 ♂♂ 7 ♀♀, HG, CR; 20.iii.2010, 1 ♀, CR. El Paso, farmland, 11.vi.2007, 1 ♂, HG; 7.v.2009, 3 ♂♂ 2 ♀♀, HG, CR; 11.v.2009, 13 ♂♂ 14 ♀♀, HG, CR, GS; 22.iii.2010, 1 ♂, CR. El Pilar, 17.vi.2007, 1 ♂ 2 ♀♀, HG. Las Tricias, 8.v.2009, 1 ♂, HG. Los Llanos, 20.iii.2005, 2 ♀♀, HG. Montaña Azufre, 27.iii.2010, 1 ♂, CR. Montaña las Moraditas, 21.iii.2009, 3 ♀♀, San Simón, 27.iii.2010, 4 ♂♂ 6 ♀♀, BA, CR. Volcán Martín, 10.v.2009, 2 ♀♀, HG.

PYRRHOCORIDAE

Scantius aegyptius aegyptius (Linnaeus, 1758)

La Lomadita, 21.iii.2010, 1 ♂ 1 ♀, GS. Puerto Naos, 24.iii.2010, 1 ♂ 3 ♀♀, GS; 29.iii.2010, 1 ♂, GS.

STENOCEPHALIDAE

Dicranocephalus agilis agilis (Scopoli, 1763)

Lomo Oscuro, 9.v.2009, 1 ♀, HG. Los Llanos de Aridane, swimming pool, 22.iii.2009, 4 ♂♂, BA. San Simón, 4.v.2009, 1 ♀, GS.

RHOPALIDAE

Brachycarenum tigrinus (Schilling, 1829)

El Paso, farmland, 7.v.2009, 3 ♂♂, CR, GS. El Paso, gravel pit, 22.iii.2010, 1 ♂, GS; 27.iii.2010, 2 ♂♂ 1 ♀, GS. Las Tricias, 2.v.2009, 1 ♂, GS. Los Llanos de Aridane, 23.iii.2009, 1 ♂, 29.iii.2009, 1 ♀, BA.

Corizus hyoscyami nigradorsum (Puton, 1874)

Bco. del Jorado, 23.iii.2009, 1 ♂, BA; 13.vi.2011, 1 ♂, GS. Bco. de las Angustias, 9.iii.2005, 1 ♂, HG. Bco. Hondo, 30.iv.2009, 4 ♂♂ 5 ♀♀, on *Sida rhombifolia*, CR; 2.v.2009, 1 ♂ 3 ♀♀, HG. El Paso, farmland, 11.v.2009, 1 ♂ 1 ♀, HG, CR; 22.iii.2010, 2 ♂♂ 2 ♀♀, CR, GS. El Paso, gravel pit, 23.iii.2010, 1 ♀, CR; 25.iii.2010, 2 ♂♂ 1 ♀, CR; 27.iii.2010, 3 ♂♂ 2 ♀♀, GS; 5.vi.2011, 1 ♀, GS. El Pilar, 2.v.2009, 1 ♂, GS. La Punta, 2.iv.2009, 1 ♂, BA. Las Tricias, 7.v.2011, 1 ♂, GS. Lomo Oscuro, 23.iv.2012, 1 ♂ 2 ♀♀, HG. Montaña la Laguna, 22.iii.2010, 4 ♂♂, CR, GS. Puerto Naos, 29.iii.2010, 1 ♂ 1 ♀, CR. Puntagorda, 10.iii.2008, 2 ♂♂ 2 ♀♀; 17.iii.2008, 2 ♂♂ 2 ♀♀, JD (ZMAN). Puntagorda, Puerto, 25.iii.2010, 1 ♂, CR. Tzacorte, 21.iii.2010, 2 ♂♂, GS. Torre del Time, 1.vi.2011, 7 ♂♂ 2 ♀♀, GS.

Liorhyssus hyalinus (Fabricius, 1794)

Bco. Hondo, 2.v.2009, 1 ♂, HG. El Paso, farmland, 11.vi.2007, 1 ♂, HG; 11.v.2009, 2 ♀♀, CR. La Lomadita, 21.iii.2010, 1 ♀ 1 larva 5 → 1 ♀, CR, GS. La Punta, 2.iv.2009, 1 ♂, BA. Las Tricias, 8.v.2009, 1 ♀, GS; 7.v.2011, 2 ♀♀, GS. Lomo Oscuro, 9.vi.2007, 1 ♂, HG; 9.v.2009, 1 ♂, GS. Los Llanos de Aridane, 23.iii.2009, 1 ♀, BA. Puerto Naos, 24.iii.2010, 2 ♂♂ 1 ♀ 5 larvae 5 → 1 ♂, CR, GS; 29.iii.2010, 1 ♀ 1 larva 5 → 1 ♀, CR, GS. Puntagorda, 17.iii.2008, 1 ♂, JD (ZMAN). Tzacorte, 21.iii.2010, 1 ♀, GS.

ALYDIDAE

Camptopus lateralis (Germar, 1817)

El Paso, farmland, 7.v.2009, 1 ♂ 3 ♀♀, HG, CR; 11.v.2009, 2 ♂♂ 1 ♀, HG, CR, GS; 22.iii.2010, 1 ♀, GS. El Paso, gravel pit, 11.v.2009, 3 ♂♂ 3 ♀♀; 22.iii.2010, 1 ♀; 23.iii.2010, 1 ♂ 1 ♀, CR; 27.iii.2010, 1 ♂, GS. Fuencaliente N, 20.iii.2010, 1 ♀, CR. Laguna de Barlovento, 21.iv.2012, 2 ♀♀, HG. Las Tricias, 8.v.2009, 1 ♀, HG; 7.v.2011, 1 ♀, GS. Los Llanos de Aridane, 22.iii.2009, 1 ♂, BA. Montaña de la Negra, 25.iii.2010, 1 ♂, CR. Montaña la Laguna, 22.iii.2010, 2 ♂♂, CR, GS. Torre del Time, 1.vi.2011, 1 ♀, GS.

COREIDAE

Arenocoris waltlii (Herrich-Schaeffer, 1835)

Bco. Hondo, 30.iv.2009, 1 ♂ 2 ♀♀, GS; 2.v.2009, 2 ♂♂ 1 larva → 1 ♂, HG, CR. El Paso, farmland 22.iii.2010, 3 ♂♂ 1 ♀, CR. El Paso, gravel pit, 25.iii.2010, 1 ♂, CR; 27.iii.2010, 1 ♀, GS; 5.vi.2011, 1 ♂ 1 ♀, GS. Jedey, 11.vi.2011, 1 ♂, GS. Los Llanos de Aridane, 22.iii.2009, 2 ♀♀, BA. Montaña las Moraditas, 21.iii.2009, 1 ♀, BA. Santo Domingo, 21.iii.2010, 1 ♀, CR, GS. 27.iii.2010, 1 ♀; 5.vi.2011, 1 ♂ 1 ♀, GS.

Coriomeris affinis (Herrich-Schaeffer, 1839)

Bco. de las Angustias, 20.iii.2005, 1 ♂, HG; 3.vi.2011, 1 ♂, GS. Bco. Hondo, 30.iv.2009, 1 ♀, GS; 2.v.2009, 1 ♂ 3 ♀♀, HG, CR, GS. El Palmar, 11.iii.2008, 1 ♂, JD (ZMAN); 27.iii.2009, 1 ♀, BA. El Paso, farmland, 7.v.2009, 3 ♂♂ 1 ♀, CR, GS; 11.v.2009, 1 ♂ 1 ♀, HG, GS; 22.iii.2010, 6 ♂♂ 2 ♀♀, CR, GS. El Paso, gravel pit, 22–23.iii.2010, 5 ♂♂ 1 ♀, CR, GS; 5.vi.2011, 1 ♂ 1 ♀, GS. El Pinar, 25.iii.2009, 3 ♂♂, BA. Montaña las Moraditas, 21.iii.2009, 1 ♂ 1 ♀, BA. La Fajana, 9.iii.2008, 1 ♂, JD (ZMAN). La Punta, 25.iv.2009, 1 ♂. Las Tricias, 7.v.2011, 1 ♀, GS. Lomo Oscuro, 20.iii.2010, 1 ♂, GS. Montaña Azufre, 27.iii.2010, 1 ♀, GS. Montaña de la Breña, 28.iii.2009, 1 ♀, BA. Puerto Naos, 24.iii.2010, 1 ♂ 1 ♀, GS. Puntagorda, 17.iii.2008, 6 ♂♂ 1 ♀, JD (ZMAN). San Isidro, 6.v.2009, 9 ♂♂ 1 ♀, CR, GS. Santo Domingo, 21.iii.2010, 1 ♂, CR; 26.iii.2010, 1 ♀, CR. Tijarafe, 16.iii.2008, 1 ♂, JD (ZMAN). Torre del Time, 1.vi.2011, 1 ♀, GS.

Haploprocta sulcicornis (Fabricius, 1794)

Bco. del Jorado, 23.iii.2009, 1 ♀, BA. Bco. de las Angustias, 5.v.2009, 1 ♀, GS. Bco. Hondo, 2.v.2009, 1 ♂, HG. El Paso, farmland, 11.v.2009, 1 ♂, GS. Fuencaliente, 21.iii.2005, 1 ♂ 1 ♀, HG. Fuencaliente N, 4.v.2009, 1 ♂, CR, under *Rumex lunaria*, 7.v.2009, 1 ♂, GS. Lomo Oscuro, 20.iii.2010, 1 ♀, CR. Puntagorda, 23.iii.2010, 1 ♀, GS; 17.iii.2008, 1 ♀, JD (ZMAN). Torre del Time, 1.vi.2011, 1 ♂ 1 ♀, GS. Volcán Martín, 10.v.2009, 1 ♀, HG.

Syromastus rhombeus (Linnaeus, 1767)

Bco. de la Galga, 1.v.2009, 1 ♀, GS; 28.iii.2010, 1 ♂ 1 ♀, CR. Bco. Hondo, 30.iv.2009, 1 ♂, GS; 2.v.2009, 1 ♂, HG. El Paso, farmland, 7.v.2009, 1 ♂ 1 ♀, CR; 22.iii.2010, 2 ♂♂ 1 ♀, CR, GS. El Paso, gravel pit, 23.iii.2010, 1 ♂ 1 ♀, CR, GS. Hoya Grande, 8.iii.2008, 1 ♀, JD (ZMAN). Lomo Oscuro, 20.iii.2010, 1 ♂, CR. 7.vi.2011, 1 ♂, GS. Montaña las Moraditas, 21.iii.2009, 1 ♂, BA. Puntagorda, 17.iii.2008, 1 ♂ 1 ♀, JD (ZMAN). Volcán Martín, 10.v.2009, 1 ♀, HG.

CYDNIDAE

Cydnus aterrimus (Forster, 1771)

Montaña Argual, 29.iii.2009, 1 ♂, BA. Montaña de la Breña, 28.iii.2009, 1 ♀, BA. La Lomadita, 21.iii.2010, 1 ♀, GS. San Simón, 4.v.2009, 1 ♂ 2 ♀♀, CR, under *Euphorbia*.

***Macroscytus brunneus* (Fabricius, 1803)**

La Fajana, 9.iii.2008, 1 ♂, JD (ZMAN). Lomo Oscuro, 9.v.2009, 1 ♀, HG; 23.iv.2012, 1 ♂, HG. Los Llanos de Aridane, 22.iii.2009, 1 ♂, in swimming pool, BA. Santo Domingo, 26.iii.2010, 2 ♀♀, CR.

***Crocistethus aeneus* (Brullé, 1839)**

El Pinar, 25.iii.2009, 1 ♂, BA.

SCUTELLERIDAE

***Odontotarsus caudatus* (Burmeister, 1835)**

El Paso, farmland, 22.iii.2010, 1 ♂ 1 ♀, CR. El Paso, gravel pit, 23.iii.2010, 7 ♂♂ 5 ♀♀, CR, GS; 25.iii.2010, 2 ♂♂ 2 ♀♀, CR; 27.iii.2010, 1 ♂ 1 ♀, GS. Puntagorda, 17.iii.2008, 1 ♂ 1 ♀, JD (ZMAN).

***Odontoscelis* (*Odontoscelis*) *dorsalis* (Fabricius, 1798)**

Bco. Hondo, 30.iv.2009, 1 ♀, GS; 2.v.2009, 2 ♂♂, HG. El Paso, farmland, 11.vi.2007, 1 ♂ 1 ♀, HG; 7.v.2009, 1 ♂, CR; 11.v.2009, 9 ♂♂ 2 ♀♀, HG, CR, GS; 22.iii.2010, 5 ♂♂ 2 ♀♀, CR, GS. El Paso, gravel pit, 25.iii.2010, 1 larva, CR. La Punta, 2.iv.2009, 1 ♀, BA. Puntagorda, 17.iii.2008, 1 larva 5, JD (ZMAN). San Simón, 27.iii.2010, 1 ♂, CR. Santo Domingo, 21.iii.2010, 1 ♂, CR; 26.iii.2010, 1 ♂, CR.

PENTATOMIDAE

***Dolycoris numidicus* Horváth, 1907**

El Paso, gravel pit, 5.vi.2011, 1 ♀, GS. Las Tricias, 8.v.2009, 1 ♀, HG; 7.v.2011, 1 ♀, GS. Puntagorda, 17.iii.2008, 1 ♀, JD (ZMAN).

***Eudolycoris alluaudi* (Noualhier, 1893)**

Bco. Hondo, 30.iv.2009, 1 ♂, HG. Fuencaliente N, 4.v.2009, 6 ♂♂ 18 ♀♀, CR, GS; 7.v.2009, 3 ♂♂ 9 ♀♀, CR, GS; 10.v.2009, 2 ♂♂ 3 ♀♀, on *Sideritis canariensis*, HG, CR; Jedey, 11.vi.2011, 2 ♀♀, GS; Roque de los Muchachos, 20.iv.2012, 1 ♂, HG; Volcán San Martín, 10.v.2009, 2 ♂♂ 5 ♀♀, HG.

***Eysarcoris ventralis* (Westwood, 1837)**

Bco. de la Galga, 9.vi.2007, 1 ♂ 2 ♀♀, HG; 1.v.2009, 4 ♂♂ 5 ♀♀, HG, CR, GS. Bco. de las Angustias, 16.iv.2012, 1 ♀, HG. Laguna de Barlovento, 21.iv.2012, 1 ♂ 1 ♀, HG. Puerto de Tazacorte, Bco. de las Angustias, 14.iii.2008, 2 ♀♀, JD (ZMAN). Puerto Naos, 24.iii.2010, 5 larvae → 1 ♂ 3 ♀♀, CR; 29.iii.2010, 1 ♀, GS.

***Holcogaster fibulata* (Germar, 1831)**

El Pilar, 3.v.2009, 2 ♂♂ 1 ♀, HG, CR; 23.iii.2010, 15 ♂♂ 12 ♀♀, on *Pinus canariensis*, CR, GS. Montaña las Moraditas, 21.iii.2009, 1 ♀, on *Pinus canariensis*, BA. Pico Birigoyo, 9.vi.2011, 1 ♂, GS.

***Mecidea lindbergi* Wagner, 1954**

Puerto de Tazacorte, 13.iii.2008, 6 ♂♂ 5 ♀♀, JD (ZMAN). Puntagorda, 10.iii.2008, 8 ♂♂ 6 ♀♀, JD (ZMAN).

***Mecidea pallidissima* Jensen-Haarup, 1922**

Puerto de Tazacorte, 13.iii.2008, 1 ♂, JD (ZMAN). San Simón, 27.iii.2010, 1 ♀, GS.

***Acrosternum rubescens* (Noualhier, 1893)**

Los Llanos de Aridane, 20.iii.2009, 4 ♂♂ 8 ♀♀, on *Euphorbia*, BA. Nogales, 6–7.iii.2008, 1 ♂ 1 ♀, JD (ZMAN).

***Nezara viridula* (Linnaeus, 1758)**

El Paso, gravel pit, 27.iii.2010, 2 ♂♂, GS. La Lomadita, 21.iii.2010, 1 ♂ 1 ♀, CR, GS. Las Tricias, 7.v.2009, 1 ♀, CR. Lomo Oscuro, 7.vi.2011, 1 ♀, GS. Montaña Azufre, 27.iii.2010, 1 ♀, GS. Puerto Naos, 24.iii.2010, 2 ♂♂ 1 ♀, CR, GS; 26.iii.2010, 1 ♂ 1 ♀, CR.

***Piezodorus punctipes* Puton, 1889**

Barlovento, 21.iii.2010, 2 ♀♀, GS. Bco. de las Angustias, 5.v.2009, 1 ♀, GS. Bco. Hondo, 30.iv.2009, 1 ♂, on *Adenocarpus*; 2.v.2009, 1 ♂, CR. El Paso, farmland, 7.v.2009, 8 ♂♂ 1 ♀, GS; 11.v.2009, 1 ♂ 2 ♀♀, CR, GS. El Paso, gravel pit, 22.iii.2010, 1 ♀, GS. El Pilar, 3.v.2009, 9 ♂♂ 30 ♀♀, CR, GS; 23.iii.2010, 10 ♂♂ 6 ♀♀, on *Adenocarpus*, CR, GS. Fuencaliente N, 10.v.2009, 1 ♀. Pico Birigoyo, 9.vi.2011, 1 ♀, GS. Torre del Time, 1.vi.2011, 1 ♀, GS.

***Sciocoris* (*Neosciocoris*) *sideritidis* Wollaston, 1858**

Bco. del Jorado, 10.vi.2011, 1 ♀, GS; 13.vi.2011, 1 ♂, GS. Bco de las Angustias, 20.iii.2005, 1 ♂, HG. Bco. Herradura, 12.vi.2011, 1 ♂, GS. Bco. Hondo, 30.iv.2009, 10 ♂♂ 2 ♀♀, HG, CR; 2.v.2009, 5 ♂♂ 4 ♀♀, HG, CR; 20.iii.2010, 1 ♂, CR. El Palmar, 27.iii.2009, 2 ♀♀, BA. El Paso, farmland, 11.vi.2007, 1 ♀, HG. Fuencaliente, 9.vi.2007, 1 ♀, HG. Fuencaliente N, 7.v.2009, 53 ♂♂ 21 ♀♀, CR, GS; 10.v.2009, 2 ♀♀, on *Sideritis canariensis*, CR. Jedey, 11.vi.2011, 3 ♂♂ 7 ♀♀, GS. Mazo, 8.iv.2000, 1 ♀, H. Ziegler leg. (GS). Nogales, 6–7.iii.2008, 1 ♀, JD (ZMAN). San Nicolás, 24.iii.2010, 3 ♂♂ 3 ♀♀, CR, GS. San Simón, 27.iii.2010, 1 ♀, CR. Torre del Time, 1.vi.2011, 1 ♀, GS. Volcán Martín, 21.ii.2001, 1 ♂, HG; 10.v.2009, 1 ♂, HG.

***Sciocoris* (*Parasciocoris*) *canariensis* Lindberg, 1953**


El Paso, farmland, 2.v.2009, 5 ♂♂ 5 ♀♀, GS. La Fajana, 9.iii.2008, 2 ♂♂, JD (ZMAN). Lomo Oscuro, 9.v.2009, 1 ♂, HG. Los Llanos de Aridane, 20.iii.2009, 6 ♂♂ 4 ♀♀; 26.iii.2009, 1 ♂, on *Forskalea*, BA. Mazo, 5.iii.1994, 1 ♂ 1 ♀, P. Sprick leg. (HG); Montaña la Laguna, 13.vi.2007, 1 ♀, HG; 2.v.2009, 18 ♂♂ 7 ♀♀, HG, CR, GS, under *Forskalea*. Nogales, 6–7.iii.2008, 1 ♂, JD (ZMAN). Puerto Naos, 24.iii.2010, 6 ♂♂ 6 ♀♀, GS; 26.iii.2010, 4 ♂♂ 5 ♀♀ 1 larva, under *Forskalea*, CR. Puntagorda, Puerto, 25.iii.2010, 2 ♀♀, CR. San Nicolás, 24.iii.2010, 1 ♂, CR. Tazacorte, 21.iii.2010, 1 ♂ 2 ♀♀, GS.

***Sciocoris* (*Sciocoris*) *angularis* Puton, 1889**

Bco. de las Angustias, 20.iii.2005, 1 ♂ 1 ♀, HG. Bco. Hondo, 30.iv.2009, 2 ♂♂ 3 ♀♀, GS; 2.v.2009, 1 ♂ 2 ♀♀, HG, GS. El Paso, farmland, 7.v.2009, 4 ♂♂ 8 ♀♀, HG, CR, GS; 11.v.2009, 2 ♀♀, CR; 22.iii.2010, 1 ♀, GS. La Fajana, 9.iii.2008, 1 ♀, JD (ZMAN). Las Tricias, 14.iii.2005, 2 ♂♂ 2 ♀♀, HG. Los Llanos de Aridane, 20.iii.2009, 3 ♂♂ 1 ♀; 26.iii.2009, 1 ♀, BA. Mazo, 1.vii.1989, 1 ♂, E. Heiss leg. (GS). Pico de la Nieve, 1890 m a.s.l., 6.v.2009, 1 ♂ 2 ♀♀, HG. Puntagorda, 15.iii.2008, 1 ♀; 17.iii.2008, 1 ♂ 1 ♀, JD (ZMAN). Salinas, 12.vi.2007, 1 ♀. Torre del Time, 1.vi.2011, 1 ♂ 1 ♀, GS. Volcán Martín, 1165 m a.s.l., 10.v.2009, 1 ♀, CR in ash/fine sand.

***Sciocoris* (*Sciocoris*) *helferii* Fieber, 1851**

Nogales, 6–7.iii.2008, 1 ♂, JD (ZMAN). Puntagorda, 17.iii.2008, 2 ♀♀, JD (ZMAN). Santo Domingo, 2.2 km SW, 26.iii.2010, 2 ♂♂ 1 ♀, CR.



Figs 1–3. 1 – *Sonchus* sp., San Nicolás, potential food plant of *Noualhieria pieltaini* Gómez-Menor, 1924. 2 – *Rumex lunaria* near Torre del Time (1.vi.2011): food plant of *Haploprocta incognita* Heiss et Moulet, 1994 and *Lindbergopsallus lunariae* Rieger, Strauss et Günther, 2011. 3 – *Haploprocta incognita* Heiss et Moulet, 1994, Torre del Time (1.vi.2011).

***Eurydema (Eurydema) lundbladi* Lindberg, 1960**

El Pinar, 25.iii.2009, 1 ♂, BA. Las Tricias, 7.v.2011, 1 ♀, GS. Pico de la Nieve, 1890 m a.s.l., 6.v.2009, 59 ♂♂ 58 ♀♀, on *Descurainia*, HG, CR, GS. Roque de los Muchachos, 27.ii.2001, 6 ♂♂ 3 ♀♀, HG; 20.iv.2012, 3 ♂♂ 1 ♀, HG.

***Eurydema (Eurydema) ornata* (Linnaeus, 1758)**

El Pinar, 25.iii.2009, 1 ♀, BA. El Paso, farmland, 7.v.2009, 6 ♂♂ 4 ♀♀, CR, GS; 11.v.2009, 3 ♂♂ 1 ♀, HG, CR, GS. El Paso, gravel pit, 22.iii.2010, 1 ♀, GS; 27.vii.2010, 1 ♂ 1 ♀, GS. Las Tricias, 8.v.2009, 2 ♀♀, CR; 7.v.2011, 1 ♂, GS. Puntagorda, 17.iii.2008, 1 ♀, JD (ZMAN).

***Ancyrosoma leucogrammes* (Gmelin, 1790)**

San Simón, 4.v.2009, 1 ♂, CR.

***Graphosoma (Graphosoma) interruptum* A. White, 1839**

Bco. del Jorado, 13.vi.2011, 4 ♂♂, GS. Bco. Herradura, 12.vi.2011, 3 ♀♀, GS. El Paso, gravel pit, 5.vi.2011, 1 ♂, GS. Torre del Time, 1.vi.2011, 1 ♂, GS.

Concluding remarks

In this contribution 28 species are listed for the first time from La Palma (▲ in Table 2), of which six are new to the Canary Islands as well (* in Table 2). For eight species the occurrence on La Palma is confirmed (■ in Table 2). With these additions the total number of known species from the Canary Islands is raised to 400 and 216 species are now listed from La Palma.

Of the species known from La Palma, 48 (22.2 %) are Canarian endemics, and four of these are only known from La Palma: *Lindbergopsallus lauri* and *L. lunariae* (Miridae), *Collartida tanausu* (Reduviidae) and *Nysius gloriae* (Lygaeidae).

Acknowledgements

We would like to thank Dr. E. Heiss (Innsbruck, Austria), Dr. F. Lange (Niedernhausen, Germany), Mr. W. Löderbusch (Markdorf, Germany), Dr. P. Sprick (Hannover, Germany) and Dr. H. Ziegler † (Biberach, Germany) for the transfer of data and material.

References

- AUKEMA B. 2012: New records of *Coranus kiritshenkoi* Bergevin, 1932 from the Canary Islands (Heteroptera: Reduviidae). *Entomologische Zeitschrift* (Stuttgart) **122(3)**: 135–136.
- AUKEMA B., DUFFELS J. P. & BÁEZ M. 2006: A checklist of the Heteroptera of the Canary Islands (Insecta). Pp. 755–774. In: RABITSCH W. (ed.): Hug the bug. For love of true bugs. Festschrift zum 70. Geburtstag von Ernst Heiss. *Denisia* **19**: 1–1184.
- AUKEMA B., RIEGER CH. & RABITSCH W. 2013: *Catalogue of the Heteroptera of the Palaearctic Region 6. Supplement*. Netherlands Entomological Society, Amsterdam, xxiii + 629 pp.

Heteroptera of La Palma, Canary Islands

- BÁEZ M. & ZURITA N. 2001: Hemiptera Heteroptera. Pp. 182–197. In: IZQUIERDO I., MARTÍN J. L., ZURITA N. & ARECHAVALETA M. (eds): *Lista de especies silvestres de Canarias (hongos, plantas y animales terrestres) 2001*. Consejería de Medio Ambiente y Ordenación Territorial, Gobierno de Canarias, 437 pp.
- BÁEZ M., MARTÍN E. & ZURITA N. 2004: Hemiptera Heteroptera. Pp. 192–207. In: IZQUIERDO I., MARTÍN J. L., ZURITA N. & ARECHAVALETA M. (eds): *Lista de especies silvestres de Canarias (hongos, plantas y animales terrestres) 2004*. Consejería de Medio Ambiente y Ordenación Territorial, Gobierno de Canarias, 500 pp.
- HEISS E. 1997: Nachtrag zur Heteropterenfauna der Kanarischen Inseln V (Insecta, Heteroptera). *Berichte des Naturwissenschaftlich-Medizinischen Vereins in Innsbruck* **84**: 359–369.
- FARACI F. 2012: Presencia de Sigara (*Halicorixa*) selecta (Fieber, 1848) en Fuerteventura (Islas Canarias) (Hemiptera: Heteroptera: Corixidae). *Heteropterus Revista de Entomología* **11**: 241–243
- LINDBERG H. 1953: Hemiptera Insularum Canariensium. Systematik, Ökologie und Verbreitung der Kanarischen Heteropteren und Cicadinen. *Commentationes Biologicae* **14(1)**: 1–304.
- LINDBERG H. 1960: Supplementum Hemipterorum Insularum Canariensium. *Commentationes Biologicae* **22(6)**: 1–20.
- LIS B. 2003: Revision of the genus Cantacader Amyot et Serville, 1843 (Hemiptera: Heteroptera: Cantacaderidae). *Polskie Pismo Entomologiczne* **72(Suppl.)**: 1–222.
- NOUALHIER M. 1893: Voyage de M. Ch. Alluaud aux îles Canaries (Novembre 1889 – Juin 1890). 2e Mémoire. Hémiptères Gymnocérates & Hydrocorises. *Annales de la Société Entomologique de France* **62**: 5–18.
- PUTSHKOV P. V. & MOULET P. 2010: *Hémiptères Reduviidae d'Europe occidentale*. Faune de France 92: 1–668.
- RIBES J. & PAGOLA-CARTE S. 2008: Kalama montisclari n. sp.: Un nuevo tinguído de la Islas Canarias (Hemiptera: Heteroptera: Tingidae). *Heteropterus Revista de Entomología* **8**: 131–135.
- RIBES J., PAGOLA-CARTE S. & HEISS E. 2008: Two new Phylinae (Hemiptera: Heteroptera: Miridae) from the Canary Islands. *Acta Entomologica Musei Nationalis Pragae* **48**: 423–431.
- RIEGER CH. 2012: Eine weitere Art von Lindbergopsallus Wagner, 1962, von der Kanareninsel La Palma (Heteroptera: Miridae). *Entomologische Zeitschrift (Stuttgart)* **122**: 273–275.
- RIEGER CH., STRAUß G. & GÜNTHER H. 2011: Ein neuer Lindbergopsallus Wagner, 1961 von der Kanareninsel La Palma (Heteroptera: Miridae). *Entomologische Zeitschrift (Stuttgart)* **121**: 255–258.
- SANTAMARÍA Á., GUTIÉRREZ J., RÉGIL J. A. & PÉREZ DELGADO A. J. 2012: Nuevos registros referentes a la distribución de los hemípteros acuáticos (Nepomorpha y Gerromorpha) de las islas Canarias (España). *Boletín de la Sociedad Entomológica Aragonesa* **50**: 555–558.

Table 1. List of collecting sites on La Palma. To avoid constant repetition of longer names of collecting sites, the shortened forms listed below in bold type are used in the text. (Continued on pages 483–485.)

Barlovento Laurisilva 2.8 km SW of Barlovento (770 m)	17°49'27" W 28°48'36" N
Bco. de la Galga Bco. de la Galga between visitor's center and Cubo de la Galga (340–780 m) Cubo Visitor's center	17°46'41" W 28°45'29" N 17°46'11" W 28°45'01" N
Bco. del Agua SW of Los Tilos (530 m)	17°48'19" W 28°47'11" N
Bco. de las Angustias Los Llanos, Bco. de las Angustias between parking place and Dos Aguas (580 m)	17°52' W 28°42' N
Bco. Gallegos Bco. between Barlovento and Gallegos (800 m)	17°49'59" W 28°48'22" N
Bco. Herradura Bco. N of Los Sauces (600 m)	17°46'33" W 28°48'41" N
Bco. Hondo Bco. between Fuencaiente and Las Manchas (730–740 m)	17°51'59" W 28°32'59" N
Bco. de Jorado Bco. S of Tijarafe (500–700 m)	17°57'08" W 28°42'19" N
Breña Alta Surrounding of Túnel Chico (800 m)	17°48'40" W 28°39'24" N
Callejones Outskirts SE of Callejones (290 m)	17°46'06" W 28°36'13" N
El Pinar Between Cruz del Llano (1020 m) and Torre del Time (1180 m)	17°55' W 28°41' N
El Palmar Between Santo Domingo de Garafía and El Palmar (200–360 m)	17°56' W 28°50' N
El Paso, gravel pit Gravel pit NE of El Paso near Ermita Virgen del Pino (820–850 m)	17°50'44" W 28°39'42" N
El Paso, farmland Pasture, fields and fallow land E of El Paso (940 m)	17°50'13" W 28°38'50" N
El Pilar Cumbre Vieja between refugio El Pilar and refugio at the foot of Montaña Andrés Martín (1440–1510 m) El Pilar Refugio	17°50'10" W 28°36'34" N 17°49'19" W 28°35'26" N
El Tablado W of Roque Faro (1050 m)	17°53" W 28°48' N

Heteroptera of La Palma, Canary Islands

Faro de Barlovento Ruderal vegetation near the lighthouse (30 m)	17°46'42" W 28°50'18" N
Fuencaliente N Tracks along the fields W of the road Fuencaliente Las Manchas (750 m)	17°51'46" W 28°31'17" N
Fuencaliente NE Waste site at the roadside NE of Fuencaliente (770 m)	17°49'17" W 28°31'06" N
Fuencaliente Cultivated/derelict farmland between Fuencaliente and Las Manchas (740 m)	ca 17°52' E 28°33' E
Hoya Grande (El Pinar) (1490 m)	17°54'58" W 28°42'17" N
Jedey Old lava flow with sparse vegetation, approximately 1.5 km S of Jedey	17°52'38" W 28°34'19" N
Laguna de Barlovento Surrounding of the water reservoir S of Barlovento (760 m)	17°48'27" W 28°48'28" N
La Fajana Near Franceses (400 m)	17°51' W 28°50' N
La Lomadita Ruderal site 0.8 km NE of La Lomadita near Punta Cumplida (30 m)	17°46'28" W 28°49'50" N
La Punta From Mirador del Time towards Puerto Tazacorte	17°56' W 28°39' N
Las Lomadas Laurisilva pr. Las Lomadas (500 m)	ca 17°46' W 28°47' N
Las Tricias Farmland SW of Las Tricias (dragon trees) (470–770 m)	17°58'28" W 28°47'34" N
Lomo Oscuro Derelict, partly terraced farmland 1 km SE of Lomo Oscuro respectively 1.5 km NE of Malpaíses (150 m)	17°46'07–08" W 28°34'29–34" N
Los Barros From Lomo de Los Caballos into Bco. de las Angustias	17°54' W 28°41' N
Los Llanos de Aridane Farmland at the northern outskirts of Los Llanos (450 m) Water basin	17°54'58" W 28°40'19" N 17°54'15" W 28°39'42" N
Mirca Derelict farmland at the northern outskirts of Mirca (200m)	17°46'05" W 28°42'21" N
Montaña Argual (320 m)	17°55'22" W 28°39'21" N
Montaña Azufre Foot of the Volcano 1 km SE of Malpaíses, derelict farmland (190 m)	17°46'27" W 28°33'49" N

Montaña de la Breña Foothpath to Villa de Mazo (560 m)	17°46' W 28°37' N
Montaña de la Negra Puntagorda, foot of the Montaña Negra, goats grazing (460 m)	17°59'17" W 28°47'03" N
Montaña la Laguna Volcano W of La Laguna (275–315 m)	17°54'51" W 28°37'44" N
Montaña las Moraditas Pasture (900 m)	17°51'24" W 28°38'50" N
Montaña Raijada Vulcano N of San Nicolas (690 m)	17°52'35" W 28°36'42" N
Monte de Luna (735 m)	17°48'57" W 28°32'05" N
Nogales NE of San Juan de Puntallana (100 m)	17°44' W 28°45' N
Pico Birigoyo Firebreak on the northeastern mountainside of P. Birigoyo (1500–1600 m)	17°50'19" W 28°36'29" N
Pico de la Nieve Eastern slope 1890 m (pine forest) 1070 m (pine forest) 665 m (laurisilva)	17°49'31" W 28°44'06" N 17°47'29" W 28°43'10" N 17°46'21" W 28°43'17" N
Puerta de Tazacorte Bco. de las Angustias (25 m)	17°56' W 28°39' N
Puerto Naos Outskirts of Puerto Naos, ruderal site/garbage dump (20 m)	17°54'27" W 28°35'18" N
Punta Bacha de San Simón Grove of Tamarix surrounded by derelict farmland (10 m)	17°45'41" W 28°34'32" N
Puntagorda Farmland at the eastern outskirts of Puntagorda (580 m)	17°59'23" W 28°46'09" N
Puntagorda, Puerto Derelict farmland near Puerto (130–160 m)	17°58'10" W 28°49'02" N
Roque de los Muchachos (2300 m)	17°52'52" W 28°45'42" N
Salinas Saltworks S of Fuencaliente (10–20 m)	17°50'28" W 28°27'15" N
San Isidro Farmland/Woodland S of San Isidro (700 m)	17°48'37" W 28°37'51" N
San Nicolás Slope NE of San Nicolás, derelict farmland (660 m)	17°52'38" W 28°36'26" N

Heteroptera of La Palma, Canary Islands

San Simón Pasture 0.7 km SSW of San Simón (150 m)	17°45'40" W 28°35'31" N
Santa Cruz (30 m)	17°45'55" W 28°41'00" N
Santo Domingo Derelict farmland 2.2 km SW of Santo Domingo (325 m)	17°57'44" W 28°48'53" N
Tazacorte Surroundings of Puerto Tazacorte (30 m)	17°56'27" W 28°39'17" N
Tigalate (700 m)	17°48'07" W 28°33'14" N
Tijarafe Cementerio (600 m)	17°57'14" W 28°42'25" N
Torre el Time (El Pinar) N Surroundings of Torre el Time (1150 m)	17°55'25–28" W 28°42'15"
Villa de Mazo (450 m)	17°46'49" W 28°37'13" N
Volcán San Antonio Footpath from Los Quemados (560–620 m)	17°51' W 28°29' N
Volcán San Martín Volcano N of Fuencaliente (1550 m)	17°50'36" W 28°32'12" N
Volcán Teneguía Foot of the volcano S of Fuencaliente (240 m)	17°50'51" W 28°28'01" N

Table 2. The Heteroptera of the Canary Islands. Abbreviations used: H – El Hierro, P – La Palma, G – La Gomera, T – Tenerife, C – Gran Canaria, F – Fuerteventura, L – Lanzarote. * – additional species; E – endemic species; ● – published records (AUKEMA *et al.*, 2006, and additional papers); □ – unspecified island records from BÁEZ & ZURITA (2001) and BÁEZ *et al.* (2004); ■ – confirmed records; ▲ – new records. (Continued on pages 487–493.)

TAXON	H	P	G	T	C	F	L
Corixidae							
<i>Corixa affinis</i> Leach, 1817	●	●	●	●	●	●	●
<i>Heliocoris vermiculata</i> (Puton, 1874)	-	-	-	●	●	●	●
<i>Sigara (Halicorixa) selecta</i> (Fieber, 1848)	-	-	-	□	●	●	●
<i>Sigara (Tropocorixa) hoggarica</i> Poisson, 1929	-	-	-	-	●	-	-
<i>Sigara (Vermicorixa) lateralis</i> (Leach, 1817)	●	●	●	●	●	●	●
Notonectidae							
<i>Anisops debilis canariensis</i> Noualhier, 1893	●	●	●	●	●	●	-
<i>Anisops sardeus sardeus</i> Herrich-Schaeffer, 1849	●	●	●	●	●	●	●
^E <i>Notonecta (Notonecta) canariensis</i> Kirkaldy, 1897	-	-	●	●	●	-	-
Mesoveliidae							
<i>Mesovelia vittigera</i> Horváth, 1895	●	□	●	●	●	□	-
Hebridae							
<i>Hebrus (Hebrus) pusillus pusillus</i> Poisson, 1954	-	-	●	●	●	-	-
<i>Merragata hebroides</i> F.B. White, 1877	●	■	●	●	●	●	-
Hydrometridae							
<i>Hydrometra stagnorum</i> (Linnaeus, 1758)	●	●	●	●	●	-	-
Veliidae							
<i>Microvelia (Microvelia) gracillima</i> Reuter, 1882	-	●	●	●	●	●	●
^E <i>Velia (Plesiovelia) lindbergi</i> Tamanini, 1954	-	●	●	●	●	-	-
Gerridae							
<i>Gerris (Gerris) thoracicus</i> Schummel, 1832	●	-	●	●	●	-	-
Saldidae							
<i>Saldula amplicollis</i> (Reuter, 1891)	-	●	-	-	-	-	-
<i>Saldula arenicola arenicola</i> (Scholtz, 1847)	-	-	●	●	-	●	-
<i>Saldula pallipes</i> (Fabricius, 1794)	-	●	●	●	●	●	-
<i>Saldula palustris</i> (Douglas, 1874)	-	□	-	-	●	●	●
<i>Saldula pilosella</i> (Thomson, 1871)	-	-	-	-	●	-	-
Leptopodidae							
<i>Leptopus hispanus</i> Rambur, 1840	-	-	-	●	●	-	-
<i>Patapius spinosus</i> (Rossi, 1790)	-	-	-	●	●	-	-
Tingidae							
<i>Cantacader divisus</i> Bergroth, 1908	-	-	-	●	-	-	-
* <i>Cantacader quadricornis</i> (Lepelletier & Serville, 1828)	-	▲	-	-	-	-	-
<i>Acalypta hellenica</i> Reuter, 1888	-	-	●	●	●	-	-
<i>Acalypta parvula</i> (Fallén, 1807)	-	●	●	●	-	-	-
<i>Derephysia (Derephysia) foliacea foliacea</i> (Fallén, 1807)	-	-	-	●	●	-	-
<i>Dictyla indigena</i> (Wollaston, 1858)	●	●	●	●	●	-	-
<i>Dictyla nassata</i> (Puton, 1874)	●	●	●	●	●	●	●
^E <i>Dictyonota atlantica</i> Péricart, 1981	-	-	-	-	-	●	●
^E <i>Dictyonota teydensis</i> Lindberg, 1936	-	-	-	●	-	-	-
<i>Galeatus scrophicus</i> Saunders, 1876	-	-	●	●	●	●	●
^E <i>Kalama montisclari</i> J. Ribes & Pagola-Cardé, 2008	-	-	-	-	-	-	-
^E <i>Kalama moralesi</i> (J. Ribes, 1975)	-	-	-	●	-	-	-
^E <i>Kalama oromii</i> (J. Ribes, 1978)	-	-	-	-	-	●	-
<i>Tingis (Tingis) canariensis</i> Péricart, 1981	-	●	-	●	●	-	-
<i>Tingis (Tingis) cardui</i> (Linnaeus, 1758)	-	●	●	●	●	-	-
<i>Tingis (Tingis) denudata</i> Horváth, 1906	●	●	●	●	-	-	-
<i>Tingis (Tingis) maderensis</i> (Reuter, 1890)	●	●	●	●	●	-	-
<i>Tingis (Tropidocheila) ajugarum</i> (Frey-Gessner, 1872)	-	▲	-	-	-	-	●
<i>Tingis (Tropidocheila) insularis</i> (Horváth, 1902)	-	■	●	●	-	-	-
<i>Tingis (Tropidocheila) liturata</i> (Fieber, 1844)	-	-	-	-	●	●	●

Heteroptera of La Palma, Canary Islands

Note: In the list of the heteropteran species of the Canary Islands in AUKEMA *et al.* (2006) *Prostemma guttula* (Nabidae) and *Dicranocephalus agilis* (Stenocephalidae) were erroneously reported for Fuerteventura and are removed here from the list for this island. The records were made on Tenerife (*Prostemma*) and Lanzarote (*Dicranocephalus*), respectively.

TAXON	H	P	G	T	C	F	L
Microphysidae							
^E <i>Loricula (Loricula) meinanderi</i> Péricart, 1972	-	-	●	●	●	-	-
^E <i>Loricula (Loricula) stenocephala</i> J. Ribes, 1985	-	-	-	-	-	●	-
Miridae							
* <i>Bryocoris pteridis</i> (Fallén, 1807)	-	▲	-	-	-	-	-
^E <i>Campyloneuropsis fulva</i> J. Ribes & E. Ribes, 2001	-	-	-	-	-	-	●
^E <i>Cyrtopeltis (Canariesia) salviae</i> Carapezza, 1988	-	-	-	●	-	-	-
^E <i>Cyrtopeltis (Cyrtopeltis) canariensis</i> (Lindberg, 1936)	●	●	●	●	●	-	-
<i>Dicyphus (Brachyceroea) heissi</i> J. Ribes & Baena, 2006	-	-	-	●	-	-	-
^E <i>Dicyphus (Dicyphus) baezi</i> J. Ribes, 1983	-	●	●	●	-	-	-
^E <i>Dicyphus (Dicyphus) bolivari atlanticus</i> Wagner, 1951	-	●	●	●	●	-	-
^E <i>Dicyphus (Dicyphus) rubicundus</i> Blöte, 1929	-	●	●	●	●	-	-
<i>Macrolophus melanotoma</i> (A. Costa, 1853)	●	●	●	●	●	●	●
* <i>Macrolophus pygmaeus</i> (Rambur, 1839)	-	▲	-	-	-	-	-
^E <i>Macrolophus pericarti</i> J. Ribes & Heiss, 1998	-	●	-	●	-	-	-
<i>Nesidiocoris tenuis</i> (Reuter, 1895)	●	▲	●	●	●	-	●
<i>Singhalesia tenuissima</i> (Lindberg, 1959)	-	-	-	-	●	-	-
<i>Deraeocoris (Camptobrochis) serenus</i> (Douglas & Scott, 1868)	●	●	●	●	●	●	●
<i>Deraeocoris (Plexaris) martini martini</i> (Puton, 1887)	-	-	-	●	-	●	●
<i>Closterotomus norwegicus</i> (Gmelin, 1790)	●	●	●	●	●	●	-
<i>Creontiades pallidus</i> (Rambur, 1839)	-	●	●	●	●	●	-
<i>Cyphodema instabilis</i> (Lucas, 1849)	-	-	-	-	●	-	-
<i>Eurystylus bellevoeyi</i> (Reuter, 1879)	●	●	●	●	●	●	●
<i>Lygus maritimus</i> Wagner, 1949	-	-	-	-	-	-	●
<i>Megacoelum zollikoferiae</i> (Lindberg, 1953)	-	-	-	●	●	●	●
<i>Miridius quadrivirgatus</i> (A. Costa, 1853)	-	-	-	-	-	●	-
<i>Miris striatus</i> (Linnaeus, 1758)	-	-	-	●	-	-	-
<i>Orthops (Orthops) basalis</i> (A. Costa, 1853)	-	-	●	-	-	-	-
<i>Phytocoris (Compserocoris) retamae</i> Reuter, 1900	-	-	-	●	-	●	●
^E <i>Phytocoris (Compserocoris) riegeri</i> J. Ribes & Heiss, 2001	-	-	-	-	●	-	-
^E <i>Phytocoris (Eckerleinus) meinanderi</i> Wagner, 1968	-	-	-	-	-	●	●
<i>Phytocoris (Leptophytocoris) azrouensis</i> Wagner, 1959	-	-	-	-	-	●	-
<i>Phytocoris (Leptophytocoris) miridioides</i> (Lethierry, 1877)	-	-	-	●	●	●	-
<i>Pinalitus conspurcatus</i> (Reuter, 1875)	-	●	●	●	●	●	●
<i>Pinalitus insularis</i> (Reuter, 1895)	●	●	●	●	●	-	-
<i>Pinalitus parvulus</i> (Reuter, 1879)	-	▲	-	●	-	-	-
<i>Polymerus (Poeciloscytus) unifasciatus</i> (Fabricius, 1794)	-	-	-	-	●	-	-
<i>Reuterista instabilis</i> (Fieber, 1861)	●	-	-	●	●	●	●
<i>Taylorilygus apicalis</i> (Fieber, 1861)	-	●	●	●	●	●	●
* <i>Thiomiris sulphureus</i> (Reuter, 1879)	-	▲	-	-	-	-	-
<i>Acetropis (Acetropis) gimmerthalii gimmerthalii</i> (Flor, 1860)	●	●	●	-	-	-	-
<i>Dolichomiris (Dolichomiris) linearis</i> Reuter, 1882	□	●	●	●	●	-	●
<i>Piathanus marshalli</i> Douglas & Scott, 1868	-	-	-	-	-	●	-
<i>Trigonotylus tenuis</i> Reuter, 1893	-	-	-	●	●	●	●
<i>Pachytomella passerinii</i> (A. Costa, 1842)	-	●	-	●	●	-	-
^E <i>Aetorhinella parviceps</i> Noualhier, 1893	●	●	●	●	●	-	-
^E <i>Canariocoris antennalis</i> (Reuter, 1904)	-	-	-	●	●	-	-
^E <i>Canariocoris ater</i> Heiss, 1996	●	-	-	-	-	-	-
^E <i>Canariocoris euphorbiae</i> Lindberg, 1951	-	●	-	●	-	-	-
^E <i>Canariocoris hyperici</i> Lindberg, 1951	●	▲	●	-	-	-	-
^E <i>Canariocoris pinicola</i> (Lindberg, 1953)	●	●	-	●	●	-	-
^E <i>Canariocoris punctatus</i> (Noualhier, 1893)	-	▲	●	●	●	●	●
^E <i>Canariocoris viburni</i> (Lindberg, 1953)	-	●	●	●	●	-	-
<i>Heterocordylus (Heterocordylus) tibialis</i> (Hahn, 1833)	-	-	●	●	●	-	-
<i>Orthotylus (Melanotrichus) divisus</i> Linnavuori, 1961	-	-	-	-	-	-	●
<i>Orthotylus (Melanotrichus) fieberi punctipes</i> (Reuter, 1895)	-	-	-	-	-	-	●
<i>Orthotylus (Melanotrichus) flavosparsus</i> (C.R. Sahlberg, 1841)	●	▲	●	●	●	●	●

TAXON	H	P	G	T	C	F	L
^E <i>Orthotylus (Melanotrichus) halophilus</i> Lindberg, 1953	-	-	-	-	●	●	●
^E <i>Orthotylus (Melanotrichus) salicorniae</i> Lindberg, 1953	-	-	-	-	-	●	●
^E <i>Platycranus (Platycranus) lindbergi</i> Wagner, 1954	-	●	●	●	-	-	-
<i>Halodapus concolor</i> (Reuter, 1890)	-	-	●	●	-	-	-
<i>Mimocoris</i> sp.	-	-	●	-	-	-	-
^E <i>Systellonotus stysi</i> J. Ribes, Pagola-Carte & Heiss, 2008	-	-	-	●	-	-	-
^E <i>Acrotelus canariensis</i> Wagner, 1943	-	-	-	-	-	●	●
<i>Amblytulus scutellaris</i> Horváth, 1905	-	-	-	●	●	-	-
<i>Atomoscelis omusta</i> (Fieber, 1861)	-	-	-	●	●	●	●
^E <i>Atomoscelis pictifrons</i> J. Ribes, Pagola-Carte & Heiss, 2008	-	-	-	●	-	-	-
^E <i>Auchenocrepis nigricornis</i> Wagner, 1954	-	-	-	-	●	-	-
<i>Auchenocrepis similis</i> Wagner, 1954	-	-	-	-	-	●	-
<i>Badezorus signaticornis</i> (Reuter, 1904)	●	●	●	●	●	●	-
<i>Campylomma verbasci</i> (Meyer-Dür, 1843)	-	-	●	-	-	-	●
<i>Compsidolon (Apsinthophylus) balachowskyi</i> (Wagner, 1958)	-	-	-	-	●	-	-
^E <i>Compsidolon (Chamaeliops) collare</i> Wagner, 1976	-	-	-	●	-	-	-
^E <i>Compsidolon (Coniortodes) anagae</i> Gyllensvärd, 1968	-	-	-	●	-	-	-
^E <i>Compsidolon (Coniortodes) beckeri</i> (Reuter, 1904)	-	●	●	●	-	-	-
^E <i>Compsidolon (Coniortodes) cytisellum</i> (Lindberg, 1953)	-	-	-	●	-	-	-
^E <i>Compsidolon (Coniortodes) cytisi</i> (Lindberg, 1953)	-	▲	-	●	-	-	-
^E <i>Compsidolon (Coniortodes) freyi</i> (Wagner, 1954)	-	●	●	●	●	-	-
^E <i>Compsidolon (Coniortodes) galbanus</i> Gyllensvärd, 1968	-	-	-	●	-	-	-
^E <i>Compsidolon (Coniortodes) hierroense</i> (Wagner, 1954)	●	●	●	●	●	-	-
^E <i>Compsidolon (Coniortodes) longiceps</i> (Reuter, 1904)	-	●	-	●	●	-	-
^E <i>Compsidolon (Coniortodes) parviceps</i> (Wagner, 1954)	-	●	●	●	●	-	-
^E <i>Compsidolon (Coniortodes) verbenae</i> (Wagner, 1954)	-	●	-	●	●	-	-
^E <i>Compsionannus longiceps</i> (Wagner, 1965)	-	-	-	-	-	●	●
^E <i>Conostethus venustus longicornis</i> Wagner, 1965	●	●	●	●	●	●	●
<i>Hadrophyes sulphurella</i> Puton, 1874	-	-	-	-	-	●	-
^E <i>Lindbergopsallus hyperici</i> (Lindberg, 1953)	●	●	●	●	●	-	-
<i>Lindbergopsallus impunctatus</i> Wagner, 1965	-	-	-	●	●	-	-
^E <i>Lindbergopsallus instabilis</i> (Reuter, 1904)	●	●	●	●	●	-	-
^E <i>Lindbergopsallus lauri</i> Rieger, 2012	-	●	-	-	-	-	-
^E <i>Lindbergopsallus laureti</i> (Lindberg, 1936)	●	▲	●	●	●	-	-
^E <i>Lindbergopsallus lunariae</i> Rieger, Strauss & Günther, 2011	-	●	-	-	-	-	-
^E <i>Lindbergopsallus rumicis</i> (Lindberg, 1953)	●	-	●	●	●	-	-
<i>Macrotylus (Alloeonycha) nigricornis</i> Fieber, 1864	-	-	●	●	●	●	-
<i>Macrotylus (Alloeonycha) paykullii</i> (Fallén, 1807)	-	-	-	-	●	●	●
^E <i>Macrotylus (Alloeonycha) spergulariae</i> Lindberg, 1953	-	-	-	-	●	●	●
<i>Maurodactylus alutaceus</i> (Fieber, 1870)	-	-	-	●	●	-	-
<i>Maurodactylus nigrigenis</i> (Reuter, 1890)	-	-	●	●	●	●	●
^E <i>Moissonia halophila</i> (Lindberg, 1953)	-	-	-	-	-	●	●
<i>Pastocoris putonii</i> (Reuter, 1875)	-	-	-	-	-	●	●
<i>Stenoparia putoni</i> Fieber, 1870	-	-	-	-	-	●	-
<i>Tuponia (Chlorotuponia) longipennis</i> Hörvath, 1909	-	-	-	●	●	●	-
^E <i>Tuponia (Chlorotuponia) oculata</i> Wagner, 1954	-	●	●	●	●	●	●
<i>Tuponia (Tuponia) mixticolor</i> (A. Costa, 1862)	-	-	●	●	●	●	●
^E <i>Tuponia (Tuponia) rubella</i> Puton, 1889	●	●	●	●	●	-	-
<i>Tyththus parviceps</i> (Reuter, 1890)	-	-	●	●	●	-	●
Nabidae							
<i>Prostemma (Prostemma) guttula guttula</i> (Fabricius, 1787)	-	-	●	●	-	-	-
<i>Himacerus (Anaptus) major</i> (A. Costa, 1842)	-	●	-	●	-	-	-
<i>Himacerus (Aptus) mirmicoides</i> (O. Costa, 1834)	-	-	-	●	-	●	-
<i>Nabis (Aspilaspis) viridulus</i> Spinola, 1837	-	-	-	-	-	●	●
<i>Nabis (Halonabis) occidentalis</i> Kerzhner, 1963	-	-	-	-	-	●	●
<i>Nabis (Nabis) pseudoferus ibericus</i> Remane, 1949	●	●	●	●	●	-	-
<i>Nabis (Nabis) punctatus punctatus</i> A. Costa, 1847	-	■	-	●	-	-	-
<i>Nabis (Tropicconabis) capsiformis</i> Germar, 1838	●	●	●	●	●	●	●

Heteroptera of La Palma, Canary Islands

TAXON	H	P	G	T	C	F	L
Anthocoridae							
<i>Anthocoris alienus</i> (F.B. White, 1880)	●	●	●	●	●	-	-
<i>Anthocoris nemoralis</i> (Fabricius, 1794)	●	▲	●	●	●	●	●
^E <i>Anthocoris salicis</i> Lindberg, 1953	-	-	●	●	-	-	-
<i>Anthocoris sarothamni</i> Douglas & Scott, 1865	-	-	-	●	-	-	-
^E <i>Elatophilus (Euhadrocerus) pilosicornis</i> Lindberg, 1953	●	■	-	●	●	-	-
<i>Montandoniola moraguesi</i> (Puton, 1896)	-	●	-	●	-	●	-
<i>Orius (Dimorphella) albidipennis</i> (Reuter, 1884)	●	▲	●	●	●	●	●
<i>Orius (Dimorphella) canariensis</i> Wagner, 1952	-	-	-	-	●	●	●
^E <i>Orius (Microtrachelia) retamae</i> (Noualhier, 1893)	-	●	-	●	●	-	-
<i>Orius (Orius) laevigatus maderensis</i> (Reuter, 1884)	-	●	●	●	●	●	●
<i>Orius (Orius) limbatus</i> Wagner, 1952	●	●	●	●	●	●	-
<i>Orius (Orius) lindbergi</i> Wagner, 1952	●	●	-	●	●	●	●
<i>Orius (Orius) niger</i> (Wolff, 1811)	-	▲	-	●	●	-	-
<i>Orius (Orius) pallidicornis</i> (Reuter, 1884)	-	●	-	-	●	-	-
<i>Orius (Orius) piceicollis</i> (Lindberg, 1936)	-	●	-	●	●	●	●
<i>Wollastoniella obesula</i> (Wollaston, 1858)	-	-	-	●	-	●	-
* <i>Amphiareus obscuriceps</i> (Poppius, 1909)	-	▲	-	-	-	-	-
<i>Brachysteles parvicornis</i> (A. Costa, 1847)	-	-	-	●	-	-	-
<i>Brachysteles wollastoni</i> F.B. White, 1880	-	-	●	●	●	-	-
<i>Buchananiella continua</i> (F.B. White, 1880)	-	●	-	-	-	-	-
<i>Cardiastethus nazareus</i> Reuter, 1884	-	▲	●	●	●	●	-
<i>Dufouriellus ater</i> (Dufour, 1833)	-	□	-	-	-	●	-
<i>Lyctocoris (Lyctocoris) campestris</i> (Fabricius, 1794)	-	▲	-	●	●	-	●
<i>Lyctocoris (Lyctocoris) dimidiatus</i> (Spinola, 1837)	-	-	-	●	-	-	-
^{E?} <i>Lyctocoris (Lyctocoris) nyttlenboogaarti</i> Blöte, 1929	□	●	□	●	●	●	●
^E <i>Lyctocoris (Paralyctocoris) menieri</i> Carayon, 1971	-	-	-	●	-	-	-
<i>Scoloposcelis obscura</i> (Zetterstedt, 1838)	-	-	-	-	●	-	-
<i>Xylocoris (Arrostelus) flavipes</i> (Reuter, 1875)	-	-	-	●	●	●	-
<i>Xylocoris (Proxylocoris) galactinus</i> (Fieber, 1836)	-	-	-	●	●	-	●
<i>Xylocoris (Xylocoris) canariensis</i> Wagner, 1954	-	□	-	●	-	-	-
^E <i>Xylocoris (Xylocoris) contiguus</i> Wagner, 1954	●	●	●	●	●	-	-
<i>Xylocoris (Xylocoris) obliquus</i> A. Costa, 1853	-	-	-	●	-	-	-
Cimicidae							
<i>Cimex lectularius</i> Linnaeus, 1758	-	-	-	●	●	-	-
Reduviidae							
^E <i>Collartida anophthalma</i> Español & J. Ribes, 1983	●	-	-	-	-	-	-
^E <i>Collartida tanausu</i> J. Ribes, Oromí & E. Ribes, 1998	-	●	-	-	-	-	-
<i>Stenolemus novaki</i> Horváth, 1888	-	-	-	-	-	-	●
<i>Ploiaria chilensis</i> (Philippi, 1862)	●	□	●	●	●	-	-
<i>Empicoris brevispinus</i> (Puton, 1889)	-	●	-	●	-	-	-
<i>Empicoris rubromaculatus</i> (Blackburn, 1889)	-	●	-	●	-	●	●
<i>Empicoris salinus</i> (Lindberg, 1932)	-	-	-	●	-	-	●
<i>Ectomocoris (Ectomocoris) chiragra</i> (Fabricius, 1803)	-	■	-	●	●	-	-
<i>Ectomocoris (Ectomocoris) ululans</i> (Rossi, 1790)	-	●	-	●	●	-	●
<i>Peirates strepitans</i> (Rambur, 1839)	-	-	-	●	●	●	-
<i>Peirates stridulus</i> (Fabricius, 1787)	-	-	-	●	●	-	-
<i>Pasira basiptera</i> Stål, 1859	-	-	-	●	-	-	-
<i>Pasira lewisi</i> (Miller, 1951)	-	●	-	●	●	-	-
<i>Reduvius personatus</i> (Linnaeus, 1758)	●	□	●	●	●	-	-
<i>Oncocephalus pilicornis</i> Reuter, 1882	-	-	●	●	●	-	-
<i>Oncocephalus squalidus</i> (Rossi, 1790)	-	●	-	●	-	-	-
<i>Oncocephalus vescerae</i> Dispons, 1965	-	-	-	●	-	-	-
^E <i>Oncocephalus milleri</i> Lindberg, 1953	-	-	-	●	●	-	●
<i>Pygolampis bidentata</i> (Goeze, 1778)	-	-	-	●	-	-	-
<i>Sastrapada baerensprungi</i> (Stål, 1859)	-	■	-	●	●	-	-
<i>Coranus (Coranus) aegyptius</i> (Fabricius, 1775)	●	●	●	●	●	●	●
<i>Coranus (Coranus) griseus</i> (Rossi, 1790)	●	●	●	●	●	●	-
<i>Coranus (Coranus) kiritshenkoi</i> (Bergevin, 1932)	-	-	-	-	●	●	●

TAXON	H	P	G	T	C	F	L
Aradidae							
^E <i>Aneurus (Aneurodes) tagasastei</i> Enderlein, 1931	●	●	●	●	-	-	-
^E <i>Aradus (Aradus) canariensis</i> Kormilev, 1954	●	-	-	●	-	-	-
<i>Aradus (Aradus) flavicornis</i> Dalman, 1823	-	□	-	●	-	-	-
^E <i>Aradus (Aradus) lauri</i> Noualhier, 1893	-	□	-	●	-	-	-
<i>Aradus (Aradus) reuterianus</i> Puton, 1875	-	●	-	●	●	-	-
Lygaeidae							
<i>Caenocoris nerii</i> (Germar, 1847)	●	●	●	●	●	●	●
<i>Cosmopleurus fulvipes</i> (Dallas, 1852)	-	-	-	-	-	●	-
^E <i>Horvathiolus albomacula</i> (Lindberg, 1960)	-	-	-	-	●	-	-
<i>Horvathiolus canariensis</i> (Wagner, 1954)	-	-	●	●	-	-	-
<i>Horvathiolus superbus</i> (Pollich, 1781)	-	-	-	●	-	-	-
<i>Lygaeosoma sardeum sardeum</i> Spinola, 1837	●	●	●	●	●	●	-
<i>Spilostethus pandurus</i> (Scopoli, 1763)	●	●	●	●	●	●	●
<i>Spilostethus saxatilis</i> (Scopoli, 1763)	-	-	-	-	●	●	●
<i>Nysius cymoides</i> (Spinola, 1837)	●	●	●	●	●	●	●
<i>Nysius ericae ericae</i> (Schilling 1829)	-	●	-	-	-	-	-
^E <i>Nysius gloriae</i> Baena & García, 1999	-	●	-	-	-	-	-
<i>Nysius immunis</i> (Walker, 1872)	●	●	●	●	●	●	●
<i>Nysius thymi latus</i> Wagner, 1958	□	●	●	●	●	●	●
<i>Orsillus depressus</i> (Mulsant & Rey, 1852)	-	-	-	-	-	-	●
^E <i>Orsillus pinicanariensis</i> Lindberg, 1953	●	●	-	●	●	-	-
<i>Kleidocerys truncatulus</i> (Walker, 1872)	●	●	●	●	●	●	-
<i>Cymus clavicularis</i> (Fallén, 1807)	-	-	-	●	●	-	-
<i>Cymus gracilicornis</i> Vidal, 1940	-	-	-	-	●	-	-
^E <i>Cymus remanei</i> Heiss & Péricart, 1999	-	-	-	-	-	-	-
* <i>Ischnodemus quadratus</i> Fieber, 1837	-	▲	-	-	-	-	-
<i>Engistus boops boops</i> (Dufour, 1857)	-	●	-	●	●	●	-
<i>Engistus exsanguis exsanguis</i> Stål, 1872	-	●	-	●	●	●	●
^E <i>Henestaris laticeps wagneri</i> Lindberg, 1960	●	-	-	●	-	●	●
<i>Geocoris (Eilatus) chloroticus</i> Puton, 1888	-	●	-	●	●	●	●
<i>Geocoris (Geocoris) collaris</i> Puton, 1878	-	-	-	-	-	●	●
<i>Geocoris (Geocoris) lineola lineola</i> (Rambur, 1839)	●	●	●	●	●	●	●
<i>Geocoris (Geocoris) megacephalus</i> (Rossi, 1790)	-	-	-	-	-	●	●
<i>Geocoris (Geocoris) pallidipennis pallidipennis</i> (A. Costa, 1843)	-	-	-	●	●	●	●
<i>Geocoris (Geocoris) phaeopterus</i> (Germar, 1838)	-	▲	●	●	-	●	●
<i>Geocoris (Geocoris) pubescens</i> (Jakovlev, 1871)	●	●	●	●	●	●	-
^E <i>Heterogaster canariensis</i> Lindberg, 1960	●	●	●	●	●	-	-
<i>Heterogaster urticae</i> (Fabricius, 1775)	●	●	-	●	●	●	●
<i>Platyplax inermis</i> (Rambur, 1839)	●	-	-	●	●	●	●
^E <i>Bethylimorphus leucophaeus</i> Lindberg, 1953	-	●	●	●	-	-	-
<i>Leptodemus minutus</i> (Jakovlev, 1874)	-	-	-	-	-	●	-
<i>Macroplox fasciata fasciata</i> (Herrich-Schaeffer, 1835)	-	-	-	-	-	●	●
<i>Macroplox vicina</i> Puton, 1889	●	●	●	●	●	●	-
<i>Macropternella inermis</i> (Fieber, 1851)	-	-	-	●	●	●	●
<i>Microplax interrupta</i> (Fieber, 1837)	●	●	●	●	●	-	-
<i>Microplax plagiata</i> (Fieber, 1837)	-	-	-	-	-	●	●
^E <i>Neocamptotelus aeonii</i> (Lindberg, 1953)	●	▲	●	●	●	-	-
<i>Oxycarenum (Euoxycarenum) pallens</i> (Herrich-Schaeffer, 1850)	-	-	-	●	●	-	-
<i>Oxycarenum (Oxycarenum) hyalinipennis</i> (A. Costa, 1843)	-	-	●	●	●	●	-
<i>Oxycarenum (Oxycarenum) lavaterae</i> (Fabricius, 1787)	●	●	●	●	●	●	●
<i>Tropistethus seminitens</i> Puton, 1889	●	●	●	●	●	-	●
<i>Eremocoris maderensis</i> (Wollaston, 1858)	●	●	●	●	●	-	-
<i>Ischnocoris mundus</i> (Walker, 1872)	●	●	●	●	●	-	●
<i>Notochilus damryi</i> Puton, 1871	-	-	-	●	-	-	-
<i>Scolopostethus pilosus maderensis</i> Reuter, 1881	-	●	●	●	●	-	-

Heteroptera of La Palma, Canary Islands

TAXON	H	P	G	T	C	F	L
<i>Aphanus rolandri</i> (Linnaeus, 1758)	•	•	•	•	•	•	•
<i>Emblethis angustus</i> Montandon, 1890	•	•	-	•	-	-	-
<i>Emblethis denticollis</i> Horváth, 1878	•	•	•	•	-	-	-
<i>Emblethis duplicatus</i> Seidenstücker, 1963	-	•	-	•	-	-	-
<i>Emblethis griseus</i> (Wolff, 1802)	•	•	•	•	-	-	-
<i>Emblethis verbasci</i> (Fabricius, 1803)	-	□	-	•	-	-	-
<i>Gonianotus galactodermus</i> (Fieber, 1861)	•	•	•	•	•	•	•
<i>Neurocladus brachiidens</i> (Dufour, 1851)	-	-	-	•	•	-	-
^E <i>Pionosomus alticola</i> Lindberg, 1953	-	-	-	•	•	-	-
<i>Camptocera glaberrima</i> (Walker, 1872)	-	•	-	•	•	•	•
<i>Lethaeus cf. fulvovarius</i> Puton, 1884	-	•	-	-	-	-	-
<i>Lethaeus lethierryi</i> (Puton, 1869)	-	-	•	•	•	•	•
<i>Lamprodema maura</i> (Fabricius, 1803)	•	□	•	•	•	•	•
<i>Megalonotus emarginatus</i> (Rey, 1888)	-	-	-	•	-	-	-
<i>Megalonotus mixtus</i> (Horváth, 1887)	-	-	-	•	-	-	-
^E <i>Megalonotus opaonotum</i> (Lindberg, 1953)	-	•	-	•	•	-	-
<i>Megalonotus praetextatus</i> (Herrich-Schaeffer, 1835)	-	•	•	•	•	-	-
<i>Megalonotus puncticollis</i> (Lucas, 1849)	-	-	•	•	•	•	•
<i>Megalonotus sabulicola</i> (Thomson, 1870)	-	•	•	•	-	-	-
<i>Proderes suberythropus</i> (A. Costa, 1842)	-	•	-	•	•	-	-
<i>Remaudiereana annulipes</i> (Bärensprung, 1859)	•	•	•	•	•	•	•
<i>Marmottania simonis</i> Puton, 1887	-	-	-	-	-	-	•
^E <i>Noualhiera herbanica</i> J. Ribes, 1976	-	-	-	•	•	•	-
^E <i>Noualhiera pieltaini</i> Gómez-Menor, 1924	•	•	•	•	-	-	-
^E <i>Noualhiera quadripunctata</i> (Brullé, 1838)	•	-	-	-	•	•	•
^E <i>Noualhiera heissi</i> Aukema, Duffels & Baez, 2006	•	-	-	-	-	-	-
<i>Plinthisus (Plinthisus) canariensis</i> Wagner, 1963	•	•	•	•	•	-	-
<i>Beosus maritimus</i> (Scopoli, 1763)	•	•	•	•	•	-	-
<i>Beosus quadripunctatus</i> (Müller, 1766)	-	-	-	•	-	-	-
<i>Dieuches schmitzi</i> Reuter, 1893	-	•	•	•	•	-	-
<i>Anepsiocoris encaustus</i> (Puton, 1869)	-	-	-	-	-	-	-
<i>Peritrechus gracilicornis</i> Puton, 1877	-	•	-	•	-	-	-
<i>Raglius alboacuminatus alboacuminatus</i> (Goeze, 1778)	-	•	•	•	•	-	-
<i>Rhyparochromus pini</i> (Linnaeus, 1758)	-	-	-	•	-	-	-
<i>Xanthochilus saturnius</i> (Rossi, 1790)	•	•	•	•	•	•	-
<i>Hyalochilus ovatulus</i> (A. Costa, 1853)	•	•	•	•	•	-	-
^E <i>Stygnocoris barbieri</i> Péricart, 1993	□	•	•	•	•	-	-
<i>Stygnocoris fuliginus</i> (Geoffroy, 1785)	-	-	-	•	•	-	-
^E <i>Stygnocoris subglaber</i> (Puton, 1889)	•	•	•	•	•	-	•
<i>Stygnocoris truncatus</i> (Horváth, 1893)	•	-	-	-	-	-	-
Piesmatidae							
<i>Parapiesma rotundatum</i> (Horváth, 1906)	-	-	-	-	-	•	•
Berytidae							
<i>Neides aduncus</i> Fieber, 1859	•	•	•	•	•	-	-
^E <i>Neides gomeranus</i> Heiss, 1978	-	-	•	-	-	-	-
<i>Berytinus (Berytinus) hirticornis pilipes</i> (Puton, 1875)	•	•	•	•	-	-	-
<i>Berytinus (Lizinus) distinguendus</i> (Ferrari, 1874)	-	-	-	•	-	-	-
<i>Berytinus (Lizinus) geniculatus</i> (Horváth, 1885)	•	-	-	•	-	•	•
<i>Berytinus (Lizinus) montivagus</i> (Meyer-Dür, 1841)	•	•	•	•	•	•	•
^E <i>Gampsocoris gomeranus</i> Wagner, 1965	-	-	•	-	-	-	-
<i>Gampsocoris punctipes punctipes</i> (Germar, 1822)	•	▲	-	•	•	-	-
Pyrrhocoridae							
<i>Scantius aegyptius aegyptius</i> (Linnaeus, 1758)	•	•	•	•	•	•	•
Stenocephalidae							
<i>Dicranocephalus agilis</i> (Scopoli, 1763)	•	•	-	•	•	-	•
<i>Dicranocephalus insularis</i> (Dallas, 1852)	-	-	-	-	•	•	-
<i>Dicranocephalus pallidus</i> (Signoret, 1879)	-	□	-	•	-	•	-
Rhopalidae							
<i>Brachycaremus tigrinus</i> (Schilling, 1829)	•	•	•	•	•	-	•

TAXON	H	P	G	T	C	F	L
<i>Corizus hyoscyami nigridorsum</i> (Puton, 1874)	●	●	●	●	●	-	●
<i>Liorhyssus hyalinus</i> (Fabricius, 1794)	●	●	●	●	●	-	●
<i>Rhopalus parumpunctatus</i> Schilling, 1829	-	-	-	●	-	-	-
<i>Stictopleurus pictus</i> (Fieber, 1861)	-	●	●	●	●	-	-
<i>Stictopleurus ribesi</i> Göllner-Scheiding, 1975	●	□	-	●	●	-	-
<i>Stictopleurus submentosus</i> (Rey, 1888)	-	-	-	●	-	-	-
<i>Stictopleurus synavei</i> Göllner-Scheiding, 1975	-	-	-	●	-	-	-
<i>Agraphopus suturalis</i> Reuter, 1900	-	●	-	-	-	●	-
Alydidae							
<i>Camptopus lateralis</i> (Germar, 1817)	●	●	●	●	●	-	-
<i>Euthetus humilis</i> Horváth, 1907	-	-	-	-	-	●	-
<i>Nemausus sordidatus</i> (Stål, 1858)	-	-	-	-	-	●	●
<i>Tenosius proletarius</i> (Schaum, 1853)	-	-	-	-	-	●	●
Coreidae							
<i>Arenocoris fallenii</i> (Schilling, 1829)	-	-	-	-	-	●	-
<i>Arenocoris intermedius</i> (Jakovlev, 1883)	-	-	-	-	-	●	-
<i>Arenocoris waltii</i> (Herrich-Schaeffer, 1835)	●	●	●	●	●	●	●
<i>Ceraleptus obtusus</i> (Brullé, 1839)	●	●	●	●	-	-	-
<i>Coriomeris affinis</i> (Herrich-Schaeffer, 1839)	●	●	●	●	●	●	●
<i>Leptoglossus gonagra</i> (Fabricius, 1775)	-	-	-	●	●	-	-
<i>Centrocoris variegatus</i> Kolenati, 1845	□	-	●	●	●	-	-
^E <i>Cercinthus elegans</i> (Brullé, 1839)	-	-	-	-	-	-	-
<i>Cercinthus lehmanni</i> (Kolenati, 1857)	-	-	●	●	●	●	●
^E <i>Haploprocta incognita</i> Heiss & Moullet, 1994	-	▲	-	●	-	-	-
<i>Haploprocta sulcicornis</i> (Fabricius, 1794)	●	●	●	●	●	●	●
<i>Syromastus rhombeus</i> (Linnaeus, 1767)	●	●	●	●	●	●	-
<i>Gonocerus insidiator</i> (Fabricius, 1787)	-	▲	-	●	-	-	-
<i>Gonocerus juniperi</i> Herrich-Schaeffer, 1839	-	■	●	●	-	-	-
<i>Plinachtus imitator</i> (Reuter, 1891)	●	▲	-	-	-	-	-
<i>Phyllomorpha laciniata</i> (Villers, 1789)	-	-	-	-	-	●	-
<i>Prionotylus brevicornis</i> (Mulsant & Rey, 1852)	-	-	-	-	●	-	-
Cydnidae							
<i>Cydnus aterrimus</i> (Forster, 1771)	●	●	-	●	●	●	●
<i>Alonips intrusus</i> (Wagner, 1953)	-	-	-	●	-	●	-
<i>Byrsinus albipennis</i> (A. Costa, 1853)	-	-	-	-	●	●	-
<i>Byrsinus laticollis</i> (Wagner, 1954)	-	-	-	-	●	●	●
<i>Byrsinus pallidus</i> (Puton, 1887)	-	-	-	-	●	-	-
<i>Byrsinus pilosulus</i> (Klug, 1845)	□	●	●	●	●	●	●
<i>Geotomus elongatus</i> (Herrich-Schaeffer, 1840)	-	-	-	-	●	●	-
<i>Geotomus longicornis</i> Wagner, 1953	-	-	-	-	-	●	-
<i>Geotomus punctulatus</i> (A. Costa, 1847)	-	▲	-	-	-	●	-
<i>Macroscytus brunneus</i> (Fabricius, 1803)	●	●	●	●	●	●	●
<i>Microporus nigrita</i> (Fabricius, 1794)	-	□	●	●	●	-	-
<i>Amaurocoris curtus</i> (Brullé, 1839)	-	-	-	●	●	●	●
<i>Linospa orbicularis</i> (Jakovlev, 1885)	-	-	-	●	●	●	-
<i>Canthophorus melanopterus melanopterus</i> (Herrich-Schaeffer, 1835)	-	-	●	-	-	●	●
<i>Crocistethus aeneus</i> (Brullé, 1839)	-	●	-	●	●	●	●
<i>Ochetostethus pygmaeus</i> (Rambur, 1839)	-	●	●	●	●	-	-
<i>Ochetostethus tarsalis</i> (Mulsant & Rey, 1852)	-	-	●	-	-	-	●
<i>Sehirus morio</i> (Linnaeus, 1761)	-	-	-	●	-	-	-
Acanthosomatidae							
<i>Cyphostethus tristriatus</i> (Fabricius, 1787)	●	■	●	●	-	-	-
Scutelleridae							
<i>Odontotarsus caudatus</i> (Burmeister, 1835)	●	●	●	●	●	●	●
<i>Odontoscelis (Odontoscelis) dorsalis</i> (Fabricius, 1798)	●	●	●	●	●	●	●
<i>Psacasta (Psacasta) granulata</i> (A. Costa, 1847)	-	-	-	-	●	●	●

Heteroptera of La Palma, Canary Islands

TAXON	H	P	G	T	C	F	L
Pentatomidae							
<i>Dryadocoris apicalis</i> (Herrich-Schaeffer, 1842)	-	-	-	•	-	-	-
<i>Holcogaster fibulata</i> (Germar, 1831)	•	•	•	•	•	-	-
<i>Brachynema cinctum</i> (Fabricius, 1775)	-	-	•	•	•	•	•
<i>Brachynema germarii</i> (Kolenati, 1846)	-	-	-	-	•	-	-
<i>Chroantha ornatula</i> (Herrich-Schaeffer, 1842)	-	□	•	•	•	•	•
<i>Codophila varia varia</i> (Fabricius, 1787)	•	•	•	•	•	•	•
<i>Dolycoris numidicus</i> Hörváth, 1907	-	•	•	•	-	-	-
<i>Eudolycoris alluadi</i> (Noualhier, 1893)	•	•	•	•	•	-	-
<i>Eysarcoris ventralis</i> (Westwood, 1837)	-	•	•	•	•	•	•
<i>Mecidea lindbergi</i> Wagner, 1954	•	•	•	•	•	•	•
<i>Mecidea pallidissima</i> Jensen-Haarup, 1922	-	•	-	•	-	•	•
<i>Acrosternum heegeri</i> Fieber, 1861	-	▲	-	-	-	-	-
<i>Acrosternum millierei</i> (Mulsant & Rey, 1866)	-	▲	•	-	-	•	-
^E <i>Acrosternum rubescens</i> (Noualhier, 1893)	•	•	•	•	•	•	•
<i>Nezara viridula</i> (Linnaeus, 1758)	•	•	•	•	•	•	•
<i>Piezodorus punctipes</i> Puton, 1889	•	•	•	•	•	-	-
<i>Piezodorus teretipes</i> (Stål, 1865)	-	-	•	-	-	•	•
<i>Menaccarus dohrnianus</i> (Mulsant & Rey, 1866)	-	-	-	-	•	•	-
<i>Sciocoris (Neosciocoris) conspurcatus majusculus</i> Linnavuori, 1964	-	-	-	-	-	•	-
<i>Sciocoris (Neosciocoris) maculatus</i> Fieber, 1851	-	•	-	-	-	-	-
<i>Sciocoris (Neosciocoris) pallens</i> Klug, 1845	-	-	-	-	•	-	•
<i>Sciocoris (Neosciocoris) sideritidis</i> Wollaston, 1858	•	•	•	•	•	-	-
<i>Sciocoris (Parasciocoris) canariensis</i> Lindberg, 1953	•	•	•	•	•	•	-
<i>Sciocoris (Sciocoris) angularis</i> Puton, 1889	•	•	•	•	•	-	-
<i>Sciocoris (Sciocoris) helferii</i> Fieber, 1851	-	•	-	•	-	•	•
<i>Eurydema (Eurydema) lundbladi</i> Lindberg, 1960	-	•	-	•	-	-	-
<i>Eurydema (Eurydema) ornata</i> (Linnaeus, 1758)	•	•	•	•	•	-	-
<i>Ancyrosoma leucogrammes</i> (Gmelin, 1790)	•	•	-	•	•	-	-
^E <i>Graphosoma (Graphosoma) interruptum</i> A. White, 1839	□	•	□	•	•	-	-
<i>Ventocoris (Astirocoris) modestus</i> (Jakovlev, 1880)	-	-	-	•	-	•	•
<i>Tarisa flavescens</i> Amyot & Serville, 1843	-	-	-	-	-	•	•
400 species/subspecies	128	216	171	295	235	166	138
91 Canarian endemics (22.8 %)	29	48	36	65	45	18	18
% Canarian endemics	22.6	22.2	1.1	22.0	19.1	10.8	13.0
28 island endemics	3	4	2	11	3	2	1
% island endemics (7.0 %)	2.3	1.9	1.2	3.7	1.3	1.2	0.7